

CHEMOSPHERE

SUBJECT AND AUTHOR INDEX

Volume 24, 1992



Pergamon Press: Oxford New York Seoul Tokyo

EDITOR-IN-CHIEF (and Editor of Chemistry and Biochemistry)

Professor O. Hutzinger

University of Bayreuth, Chair of Ecological Chemistry and Geochemistry, Postfach 10 12 51, W-8580 Bayreuth, Germany
Fax: XX 49 921 54626

ASSISTANT EDITOR: Alfreda Hutzinger

EXECUTIVE EDITOR

Dr T. Stephen

8 Lewis Close, Risinghurst, Headington, Oxford OX3 8JD, U.K.

EDITORS

CHEMISTRY AND BIOCHEMISTRY

Mr D. W. Kuehl

U.S. Environmental Protection Agency, Duluth, MN 55804, U.S.A.
Fax: XX 218 720 5539

ECOTOXICOLOGY

Professor Dr J. P. Giesy

Department of Fisheries and Wildlife, Michigan State University, MI 48824-1222, U.S.A.
Fax: XX 517 336 1699

Professor W. Klein

Fraunhofer-Institut für Umweltchemie und Ökotoxikologie, Grafschaft/Hochsauerland, W-5948 Schmallenberg, Germany
Fax: XX 49 2972 30 2319

Dr M. Yasuno

National Institute for Environmental Studies, Japan Environment Agency, 16-2 Onogawa, Tsukuba, Ibaraki 305, Japan
Fax: XX 298 51 4732

CHEMISTRY AND BIOCHEMISTRY

K. Ballschmiter, Universität Ulm, Ulm, Germany
T. F. Bidleman, University of South Carolina, Columbia, SC, U.S.A.

R. E. Clement, Ontario Ministry of the Environment, Rexdale, Canada
D. W. Connell, Griffith University, Brisbane, Australia

P. E. Des Rosiers, U.S. Environmental Protection Agency, Washington, DC, U.S.A.

H. S. Fuhr, Bayer AG-Dormagen, Dormagen, Germany

W. Giger, Swiss Federal Institute of Technology, Dubendorf, Switzerland

H. P. Hagemmaier, University of Tübingen, Tübingen, Germany
F. Hileman, Monsanto BB4M, St Louis, MO, U.S.A.

R. A. Hites, Indiana University, Bloomington, IN, U.S.A.

P. M. Huang, University of Saskatchewan, Saskatoon, Canada

R. C. Lao, Environment Canada, Ottawa, Canada

D. Mackay, University of Toronto, Toronto, Canada

T. Mill, Stanford Research International, Menlo Park, CA, U.S.A.

A. A. Moghissi, PO Box 7166, Alexandria, VA, U.S.A.

H. Parlar, Gesamthochschule Kassel-Universität, Kassel, Germany

C. Rappe, University of Umeå, Umeå, Sweden

A. Sabljic, Institute Rudjer Bošković, Zagreb, Croatia

H. R. Schulten, Fachhochschule Fresenius, Wiesbaden, Germany

G. Sundström, Dow Europe SA, Horgen, Switzerland

P. R. Wallnöfer, Bayerische Landesanstalt für Ernährung, Munich, Germany

V. Zitko, Biological Station, St Andrews, Canada

ECOTOXICOLOGY

S. M. Bartell, Oak Ridge National Laboratory, Oak Ridge, TN, U.S.A.

G. C. Butler, 4694 West 13th Avenue, Vancouver, Canada

D. Calamari, Università degli Studi di Milano, Milan, Italy

R. T. Di Giulio, Duke University, Durham, NC, U.S.A.

W. Ernst, Alfred-Wegener-Institut für Polar- und Meeresforschung, Bremerhaven, Germany

TOXICOLOGY, PHARMACOKINETICS AND EPIDEMIOLOGY

Professor U. G. Ahlborg

Karolinska Institutet, Institute of Environmental Medicine, Unit of Toxicology, Box 60208, S-10401 Stockholm, Sweden
Fax: XX 46 8 34 3849

Professor S. Safe

Veterinary Physiology and Pharmacology, Texas A and M University, College Station, TX 77843, U.S.A.
Fax: XX 409 845 6544

Professor E. Takabatake

Setsunan University, Faculty of Pharmaceutical Sciences, 45-1 Nagaotoge-cho, Hirakata, Osaka 573-01, Japan
Fax: XX 720 50 7020

ATMOSPHERIC CHEMISTRY AND GLOBAL CHANGE

Dr M. A. K. Khalil

Global Change Research Center and Department of Environmental Science and Engineering, Oregon Graduate Institute of Science and Technology, 19600 Von Neumann Drive, Beaverton, OR 97006-1999, U.S.A.
Fax: XX 503 690 1016

EDITORIAL BOARD

M. Goto, Gakushuin University, Tokyo, Japan

P. C. Kearney, National Resources Institute, Beltsville, MD, U.S.A.

S. J. Klaine, Memphis State University, Memphis, TN, U.S.A.

P. F. Landrum, Great Lakes Environmental Research Laboratory, Ann Arbor, MI, U.S.A.

R. Nagel, Johanne Gutenberg-Universität Mainz, Mainz, Germany

F. Schmid-Bleek, OECD 2, Paris, France

A. Spacie, Purdue University, West Lafayette, IN, U.S.A.

R. Truhaut, Université de Paris, Paris, France

TOXICOLOGY, PHARMACOKINETICS AND EPIDEMIOLOGY

R. Kociba, Dow Chemical Company, Midland, MI, U.S.A.

Y. Masuda, Daiichi College of Pharmaceutical Sciences, Fukuoka, Japan

W. Mücke, Ludwig-Maximilians Universität, Grafling, Germany

H. Nakazawa, Institute of Public Health, Tokyo, Japan

Ch. Schlatter, University of Zurich, Scherzenbach, Switzerland

R. R. Suskind, University of Cincinnati, Cincinnati, OH, U.S.A.

ATMOSPHERIC CHEMISTRY AND GLOBAL CHANGE

V. P. Aneja, North Carolina State University, Raleigh, NC, U.S.A.

P. Brimblecombe, University of East Anglia, Norwich, U.K.

C. I. Davidson, Carnegie Mellon University, Pittsburgh, PA, U.S.A.

J. W. Elkins, U.S. Department of Commerce, Boulder, CO, U.S.A.

J. Fishman, NASA Langley Research Center, Hampton, VA, U.S.A.

V. W. J. H. Kirchhoff, Instituto Nacional de Pesquisas Espaciais (INPE), São José dos Campos, S.P., Brazil

D. C. Parashar, National Physical Laboratory, New Delhi, India

S. A. Penkett, University of East Anglia, Norwich, U.K.

R. A. Rasmussen, Oregon Graduate Institute, Beaverton, OR, U.S.A.

W. Seiler, Fraunhofer Institute for Atmospheric Environmental Research, Garmisch-Partenkirchen, Germany

J. W. Winchester, Florida State University, Tallahassee, FL, U.S.A.

SUBJECT INDEX VOL. 24, 1992

Abiotic matrices

det PCB congeners (77, 126 and 169) 1147

Absorption

dermal, PCB in man 1283

Accumulation

Pb in agricultural soil and highway vegetation 941

Acetylation

of soil, chlorocatechol extraction 1031

Adsorbents

for column chromatography, selective retention non-ortho substit coplanar PCBs 323

Adsorption

Cd, Ni and Zn in soils, effect of alcohols 1855
coeff K_{oc} of soil for pollutants, silica-humate and alumina-humate HPLC stationary phases 403
desorption hysteresis and sediment/water ratio effect in sorption studies 1259
humic acid by microbial biomass 1573
pesticides, sediments and suspended solids handling and separation 819
[2,4-dichloro-]phenoxyacetic acid from water by organic clays 1493
use in sampling PCDDs and PCDFs emissions from combustion 1563

Aerosols

dissipation from greenhouse air, pesticide application using low volume technique 1157

Air

ambient, measurement of aliphatic amines 1533
monitoring, pollution by auxin-type herbicides 719
vehicle-polluted by hazardous volatile hydrocarbons 135
see also Atmosphere

Alcaligenes

marine, metabolism [n-]alkyl substit cyclohexanes 1441

Alcohols

effect on adsorption, desorption and movement, Cd, Ni and Zn through soils 1855

Alkyl PCBs

in pulp mill effluents, sludges and exposed biota 559

Alkylbenzenes

and polycyclic aromatic hydrocarbons, sorption on RPLC supports 1037

Alkylbenzenesulfonates

biodegradation in well water, kinetics 969

[n-]Alkylcyclohexanes

metabolism by marine *Alcaligenes* 1441

Amines

aliphatic, in ambient air and rainwater 1533

Anaerobic

bankfiltration, behaviour and effects of NTA 1217
conditions, degradation chlorofluorocarbon-113 1225

Analyses

bromo- chloro-, and mixed bromochlorodibenzo- dioxins and dibenzofurans, salmon, osprey and human milk 1431

comparative, dioxins and furans

in air, high resolution and electron capture MS 421
congener-specific PCB, sediment core, lake, Japan 427

environmental software tools, principal component analysis and spatial correlation 1607

hair as monitoring pool for dioxin 351

heavy metals, foliage near refuse incinerator 1905

HPSEC, molecular size fractions, humic substances from oxidized coal 1381
humic material and components bleached Kraft mill effluent, gradient gel electrophoresis 1745

method for PCB congeners 77, 126 and 169 in biotic and abiotic matrices 1147

PCDDs and PCDFs in fish, chlorinated diphenyl ether interference 537

polyhalogenated pollutants in sediment and sewage sludge 1721

principal component, and partial least square regression, PCDD and PCDF pollution survey 1885

sample prep and extraction procedure comparison, PCDD and PCDF deposited particulate and bulk deposition 575

AQUAFAC

group-contribution method, hydrocarbons 1047

Aquatic

environment, microbial degradation PCBs 881
toxicity testing, oil products, recommendations 1469

Aqueous activity coeffs
group-contribution method,
hydrocarbons 1047

Aquifer
aerobic, lab batch studies,
mecoprop degradation 547
materials, of low carbon
content, sorption of benzene,
[1,1,1-]trichloroethane and
naphthalene 979
materials, nonequilibrium
transport naphthalene using
batch sorption parameters 141
materials, sorption hydrophobic
hydrocarbons 439

Arcitalitus dorrieni
biomonitor of Zn and Cu
availabilities in leaf litter
1505

Aryl hydrocarbon hydroxylase
induction uncharacterized
PCBs, mouse and rat
hepatoma cell line 201

Asbestos
and wollastonite, *in vitro* effect,
metabolizing enzymes and
microsomal lipid
peroxidation, rat lung 959

Ash
metal concentrations, municipal
solid waste combustors 271
see also Fly ash and Flue ash

Atmosphere
Antarctic and S polar sea,
bromo- and
bromochloromethanes 1293
conditions, irradiation gasoline
vapours, formation ozone,
PAN, PPN and nitric acid
1447
non-isothermal exchange of
gases with soil 1961
organic contaminants N
Atlantic Sable island
monitoring site 1389
pollution, persistent organic
compsds, pine needle
monitoring 229
uptake and release nitrogen
dioxide from soil and
building stones 1943

Atrazine
clearance from soil, application
pharmacological approach in
environmental science 1645

transport in soil, effect organic
fertilizer 663
under simulated sunlight,
transformations in aqueous
humic acid soln 1597

Auxins
herbicides, pollution, air
monitoring 719

Azo dyes
photocatalytic degradation 335

Bagasse
pulp and paper manufacture,
effluent treatment 371

Batch sorption parameters
nonequilibrium transport
naphthalene through aquifer
materials 141

Benzamide
and 4-hydroxybenzamide in
water, effects of $\text{TiO}_2\text{-UV}$,
 $\text{H}_2\text{O}_2\text{-UV}$, $\text{H}_2\text{O}_2\text{-Fe}^{2+}$ systems
on disappearance 1085

Benzene
[1,1,1-]trichloroethane and
naphthalene, sorption on
aquifer materials of low
carbon content 979

Benz[b**]thiophene**
photooxidation in aqueous soln
383

[3,4-]Benzopyrene
[2,2',5,5'-]tetrachlorobiphenyl
and DDT, natural humic
waters, partition behaviour
919

Bibliography
databases, information system
with testset 68 chemicals for
environmental chemicals 857

Binary water
organic solvents systems
solubility PCBs 1347

Bioaccumulation
pesticides three-step oak wood
food chain 1765

Bioavailability
[2,3,7,8-]PCDFs and PCDDs,
fly ash and extracts, rat liver
763

in rats, bound residues in liver
and intestine chickens diet
treated with 3-
phenoxybenzoic acid 745

Bioconcentration
[trans-]chloradane by
Chironomus decorus 1911
geometric isomers
[d-]phenothrin in fish, effect
of metabolism 2001

Biodegradation
chlorofluorocarbons in
anaerobic environments 935
linear alkylbenzenesulfonates in
well water, kinetics 969
oil products in CEC
L-33-T-82 and modified
sturm tests 1989
PCBs, aquatic environment 881

Biomass
incineration and emission
macro- and micro-pollutants
1545

Biomonitor
use of *Arcitalitus dorrieni*,
Zn and Cu availabilities
in leaf litter 1505

Biosorption
and desorption, humic acid by
microbial biomass 1573

Biotic matrices
detn PCB congeners 77, 126
and 169 1147

[4,4'-]Bipyridine
vapor pressure by gas saturation
and GC 1679

Bleached
Kraft mill effluent, humic
material and high mol wt
components by gradient gel
electrophoresis 1745
paper and pulp from bagasse,
effluent treatment 371
pulp mill effluent,
polychlorinated
dibenzothiophenes 1755

Bleaching
pulp effluents, free and bound
chlorophenols 1253

Brachydanio rerio
effects of [2,3,7,8-]TCDD on
reproduction and oogenesis
1361

Brain
and tissues of neonatal
Callorhinus ursinus, α , β and
 γ HCH isomers 1171

Brominated
and bromochloromethanes,
Antarctic atmosphere and S
polar sea 1293
dioxins from pyrolysis
[N-(tribromophenyl)-]maleimi
de 1625
phenazines from pyrolysis
[N-(tribromophenyl)-]maleimi
de 1625

[4- and 3-]Bromophenol
HPLC/flash photolysis study
911

Bromoxynil
aquatic photodegradation rate,
effect of carbonates 1119

Bronchogenic carcinoma
combined effect of asbestos and
smoking 959

Building stones
uptake and release nitrogen
dioxide into atmosphere 1943

Burning
 O_2 enriched, incineration
hazardous waste 249

Cadmium
adsorption, desorption and
movement through soils,
effect of alcohols 1855
concentration, foliage near
refuse incinerator 475
exposed *Oryzias latipes*, zinc
and Cu variation in
metallothionein-like protein
1799
in foliage near modern
incinerator 1905
from fly and bottom ash,
environmental availability,
pozzolana-induced reductions
1591
Pb, PAH, PCCD, PCDF and
PCB in roadside soil, relation
between distance and
concentration 107
turnover, minnows fed 109
labelled Cd, *Daphnia*
magna 359
turnover, *Phoxinus phoxinus*
fed ^{109}Cd labelled *Daphnia*
magna 359

Callorhinus ursinus
brain and tissues, α , β and γ
HCH isomers 1171

Carbamates
[2-thiomethyl-N-
methylphenyl]
structure-photodegradation
513
[4-thiomethyl-N-
methylphenyl]
photodegradation-structure
181

Carbonates
effect on aquatic
photodegradation rate,
bromoxynil 1119

Cations
fabric softener DTDMAC,
toxicity and ecotoxicological
risk 599, 611, 629, 641

CDDs
principal component analysis
and spatial correlation,
analytical software 1607

CDFs
principal component
analysis and spatial
correlation, analytical
software 1607

CdS(s)
photo-oxidative dissolution
presence heavy metal ions
281

CEC L-33-T-82
and modified sturm tests
biodegradability oil
products 1989

Chemchar
mechanism using
hexachlorobenzene surrogate
for monitoring reaction
products 1867

Chemicals
composition, lichens,
Nothofagus forest, S Chile
155
organic persistent compds,
atmospheric pollution, pine
needle monitoring 229

Chironomus decorus
bioconcentration
[trans-]chlordane 1911

Chloralkali plant
Cl gas and Hg vapor reactions
at occupational exposure
levels 1633

[trans-]Chlordane
bioconcentration by
Chironomus decorus 1911

Chlorinated
aromatic planar compds in pulp
mill effluents, sludges and
exposed biota 559
benzenes, regional fate,
fugacity models 695
compds, emission from waste
dry-cleaning material
combustion 343
diphenyl ether interference,
PCDDs and PCDFs analyses
fish 537
hydrocarbons, dechlorination,
aqueous solns with ferrous
and sulfide ions 1063
sewage
[3-]chloro-4-(dichloromethyl)-
5-hydroxy-2(5H)-furanone
927

Chlorine
content PICs in thermal
decomposition
[1,2-]dichlorobenzene, effect
of feed mixtures 681
gas and Hg vapor reactions at
occupational exposure levels
1633
organo compds, monitoring,
rice field, *Gambusia affinis* as
indicator 735
organo compds, and PCBs
levels in pinniped milk,
Arctic, Antarctic, Australia,
California 779
organo compds, in three-step
oak wood food chain 1765
organo pesticides, lake
Xolotlan, preliminary study
1413

[tri- and tetra-]Chlorobenzenes
thermally induced PCDDs and
PCDFs in dielectric fluids
1845

Chlorocatechols
extraction from soil after
acetylation 1031

Chlorofluorocarbons
113, degradation under anaerobic conditions 1225
biodegradation in anaerobic environments 935

Chlorofluoromethanes
thermal destruction in turbulent flame 117

Chlorophenols
free and bound, Kraft pulp bleaching effluents 1253
lake bottom sediment, drinking water contamination 1805

Chromatography
on active carbon, dual column GC/ECD and GC/MS, coplanar congeners PCBs in seal tissue 1181
adsorbents for column selective retention non-ortho substit coplanar PCBs 323
dynamic couple-column HPLC, aqueous solubilities nitro polycyclic hydrocarbons 1699
GC and gas saturation, [4,4'-]bipyridine vapor pressure 1679
GC/ECD, isolation and detn coplanar PCBs in human milk 465
HPLC, porous graphitic carbon and GC/ECD, isolation and detn coplanar PCBs in human milk 465
HPLC, stationary phases, silica-humate and alumina-humate, detn adsorption coeff K_{oc} of soil for pollutants 403
HPLC/flash photolysis technique, study 4- and 3-bromophenol 911
HPLC/fluorescence, metabolite levels of aromatic hydrocarbons fish tissue 497 separation of enantiomeric pollutants, dichlorprop degradation by marine microorganisms 1423

Cigarettes
smoking, combined effect of asbestos in bronchogenic carcinoma 959

Clay
transport columns, quinoline sorption control 1127

Clearing
atrazine from soil, application pharmacological approach in environmental science 1645

Coal
oxidized, molecular size fractions of humic substances 1381

Cod liver oil
reference material PCBs congeners and chlorinated pesticides 1687

Combustion
dry-cleaning material waste, emission chlorinated compds 343
sampling PCDDs and PCDFs emissions using adsorption 1563

Complexes
iminodiacetic with Fe, phototransformation in aqueous soln 953

Composition
and concentration, PCB mixtures in *Phoca vitulina* 1111
elemental, lichens, *Nothofagus* forest, S Chile 155

Concentration
24 elements in *Thunnus thynnus*, N W Atlantic 211 and composition, PCB mixtures in *Phoca vitulina* 1111
metals in ash, municipal solid waste combustors 271
see also Bioconcentration

Contamination
organic, N Atlantic atmosphere, Sable island monitoring site 1389
soil, PCDDs and PCDFs, small scrap wire and car incinerators 127

Control
slow sorption, quinoline on clay transport columns 1127

Copper
availability in leaf litter, use of *Arcitaltris dorrieni* as biomonitor 1505

[p-]Cresol
regional fate fugacity models 695

Cyclohexanes
[n-alkyl substit, metabolism by marine *Alcaligenes* 1441

Cysteine
[N-acetyl-S2-phenyl-2-hydroxyethyl] in human urine styreneexposure 1553

Cytochrome
P4501A1 bioindicator for PCDDs and PCDFs in fly ash from Cl-containing waste 391

Daphnia magna
labelled 109 Cd, fed to minnows, Cd turnover 359

Databases
information system with testset 68 chemicals for environmental chemicals 857

DDT
[2,2',5,5']-tetrachlorobiphenyl and [3,4'-]benzopyrene, natural humic waters, partition behaviour 919

Dechlorination
base catalysed, effect on genotoxicity PCB-contaminated soil 1713 chlorinated hydrocarbons in aqueous solns with ferrous and sulfide ions 1063

Decomposition
[1,2]-dichlorobenzenem incineration conditions 525 thermal, [1,2]-dichlorobenzene, effect of feed mixtures on Cl-content of PICs 681

Degradation
chlorofluorocarbon-113 under anaerobic conditions 1225 dichlorprop, marine microorganisms, chromatographic separation of enantiomeric pollutants 1423 Mecoprop in aerobic aquifer, lab batch studies 547

nitrobenzene and nitrophenols
via oxidation in homogeneous phase, photolysis in presence H_2O_2 versus Fenton reaction 1369

organic compds, mass spectrometry data prediction for environment 1473

photocatalytic, selected azo dyes 335

seasonal mevinphos, crops, USA 1990 773

in turbulent flame, chlorofluoromethanes 117

see also Biodegradation

Dental surgeries
and personnel Hg levels, Slovenia 1731

Dermal absorption
PCB in man 1283

Desorption
Cd, Ni and Zn in soils, effect of alcohols 1855

Detergents see surfactants

Dibenzothiophenes
polychlorinated in bleached pulp mill effluent 1755

[1,2-]Dichlorobenzenes
decomposition, incineration conditions 525
thermal decomp, effect of feed mixtures on Cl-content of PICs 681

[1,2-]Dichloropropanes
 ^{14}C -labelled, transformation in water saturated subsoil materials 993

Dichlorprop
degradation marine microorganisms, chromatographic separation of enantiomeric pollutants 1423

Dichlorvos
and thiophanate-methyl decline in concentration of residue with time, dissipation of aerosol from greenhouse air 1157

Dielectric fluids
thermally induced PCDDs and PCDFs from [tri- and tetra-]chlorobenzene 1845

Diet see Food

Dioxazine
dyes, content PCDDs and PCDFs 169
pigments, content PCDDs and PCDFs 169

Dioxins
in air, high resolution and electron capture MS 421
[monobromo]dibenzodioxins, and PCDFs, selective losses during matrix separation 413
formation in stretched flames 1785
hair analysis as monitoring pool 351

Dissipation
aerosols from greenhouse air, pesticide application using low volume technique 1157

Dissolution
photo-oxidative, CdS(s), presence heavy metal ions 281

Distribution
coeffs, sorption of benzene, [1,1,1-]trichloroethane and naphthalene on aquifer materials of low carbon content 979
differences, [2,3,7,8-]TCDD in tissues *Gadus morhua* and *Oncorhynchus mykiss* 581
PCBs contaminated lake 1921
properties pollutants by solubility parameters 453

Drinking water
see under Water

Dry-cleaning
material waste combustion, emission chlorinated compds 343

DTDMAC
fabric softener, toxicity and ecotoxicological risk 599, 611, 629, 641

Dyes
dioxazine, PCDDs and PCDFs 169
selected azo, photocatalytic degradation 335
see also Pigments

Ecotoxicology
risk, cationic fabric softener DTDMAC 599, 611, 629

Effluents
bleached Kraft mill, humic material and high mol wt components by gradient gel electrophoresis 1745
bleached pulp mill, polychlorinated dibenzothiophenes 1755
pulp bleaching, free and bound chlorophenols 1253
pulp mill products alkyl PCBs and planar aromatic chloro-compds 559
solid waste incinerator plant, environmental impact 1775
treatment, bleached pulp and paper bagasse manufacture 371

Electronic equipment
leakage PCBs and PCNs, laboratory contamination 1197

Electrophoresis
bleached Kraft mill effluent, humic material and high mol wt components 1745

Emission
chlorinated compds, waste dry-cleaning material combustion 343
flue ash, toxicity waste incinerators, toxicity 753
macro- and micro-pollutants from biomass incineration 1545
PAH and mutagenic activity from wood stoves depends on quality of wood 1317
PCDDs and PCDFs sampling from combustion using adsorption 1563

Enantiomers
ratios of α -HCH and α , β and γ isomers in brain and tissues of neonatal *Callorhinus ursinus* 1171

Environment
anaerobic, biodegradation of chlorofluorocarbons 935
assessment pesticides, criteria and procedures UBA-principles 793

availability Cd from fly and bottom ash, 1591
pozzolana-induced reductions 1591

chemicals, information system with testset 68 chemicals 857

degradability organic compds, mass spectrometry data prediction 1473

fate and effects, jet fuel JP-8 219

impact, effluents solid waste incinerator plant 1775

pesticides criteria and procedures UBA-principles 793

safety, DTDMAC fabric softener toxicity and ecotoxicological risk 641

science, atrazine clearance from soil, pharmacological approach 1645

toxicology, PCB aqueous solns 483

topical, larvicides, typology of susceptibilities aquatic insect larvae 2009

UK, budget and source inventory, pentachlorophenol 833, 847

Enzymes
and microsomal lipid peroxidation, *in vitro* effect of asbestos and wollastonite, rat lung 959

Exchange
non-isothermal, gases between soil and atmosphere 1961

Exposure
Cd *Oryzias latipes*, zinc and Cu variation in metallothionein-like protein 1799
Hg Slovenian dental practice 1731
modelling, DTDMAC fabric softener toxicity and ecotoxicological risk styrene, [N-acetyl-S2-phenyl-2-hydroxyethyl]cysteine in human urine 1553

Extraction
for analyses, PCDDs and PCDFs in deposited particulate matter and bulk deposition 575
chlorocatechols from soil after acetylation 1031

Extracts
flue ash, comparative bioavailability [2,3,7,8-]PCDFs and PCDDs rat liver 763

Fabrics
softener DTDMAC, toxicity and ecotoxicological risk 599, 611, 629, 641

Fate
and effects, jet fuel JP-8 in environment 219
p-cresol and chlorobenzene, evaluation, fugacity models 695

Ferrous ions
effect on dechlorination chlorinated hydrocarbons in aqueous solns 1063

Fertilizers
organic, effect on transport atrazine in soil 663

Fish
bioconcentration geometric isomers [d-]phenothrin, effect of metabolism 2001
pesticides in rivers flowing into lake Biwa 1523
tissue, metabolite levels of aromatic hydrocarbons, HPLC/fluorescence 497
triphenyltin after use restriction, Japan 1103

Flames
stretched, dioxin formation 1785

Flue ash
emissions, waste incinerators, toxicity 753
and extracts, comparative bioavailability [2,3,7,8-]PCDFs and PCDDs rat liver 763

Fly ash
and bottom ash, environmental availability of Cd, pozzolana-induced reductions 1591
from Cl-containing waste, cytochrome P4501A1 bioindicator for PCDDs and PCDFs 391

Food
mixtures, effect on Cl-content PICs in thermal decomposition [1,2-dichlorobenzene 681
uranium in, risk assessment of nephro- and radiotoxicity 309

Food chain
oak wood, organochlorine compounds 1765

Fractionation
PCBs contaminated lake 1921

Fuel
flame destruction, chlorofluoromethanes 117
jet JP-8, fate and effects in environment 219

Furanones
[3-chloro-4-(dichloromethyl)-5-hydroxy-2(5H)-] chlorinated sewage 927

Furans
in air, high resolution and electron capture MS 421

Gadus morhua
and *Oncorhynchus mykiss*, distribution differences in tissues 581

Gambusia affinis
as indicator, monitoring organophosphorus and organochlorinated compds, rice field 735

Gases
non-isothermal exchange between soil and atmosphere 1961
transfer binary system in heterogenous temp 1961

Gasoline
vapours, irradiation under atmospheric conditions, formation ozone, PAN, PPN and nitric acid 1447

Genotoxicity
PCB-contaminated soil effect base catalysed dechlorination 1713

Greenhouse air

aerosol dissipation, pesticide application using low volume technique 1157

 H_2O_2 -Fe²⁺ system

effect on disappearance [4-hydroxybenzamide and benzamide in water 1085

 H_2O_2 -UV system

effect on disappearance [4-hydroxybenzamide and benzamide in water 1085

Hair

analysis as monitoring pool for dioxin 351

Halogenated

organic compds, adsorbable in sea sediments 1331 and volatile aromatic hydrocarbons, persistence in low organic carbon calcareous soil 1301

Hazardous compds

volatile hydrocarbons, vehicle-polluted urban air 135 waste incineration, effect O₂ in enriched burning 249

[alpha]-HCH

enantiomer ratios and α , β and γ isomers in brain and tissues of neonatal *Callorhynchus ursinus* 1171

Hepatoma cell line

mouse and rat, uncharacterized PCB aryl hydrocarbon hydroxylase induction 201 uncharacterized PCB aryl hydrocarbon hydroxylase induction, mouse and rat 201

Herbicides

auxin-type pollution, air monitoring 719

Hexachlorobenzene

surrogate for monitoring reaction products, chemchar mechanism 1867

Humic compds

acid, biosorption and desorption by microbial biomass 1573

and high mol wt components, bleached Kraft mill effluent by gradient gel electrophoresis 1745 molecular size fractions derived from oxidized coal 1381 natural waters, [2,2',5,5'-tetrachlorobiphenyl DDT and [3,4'-benzopyrene, partition behaviour 919

Hydrocarbons

AQUAFAC group-contribution method 1047 aromatic, metabolite levels in fish tissue by HPLC/fluorescence 497 hazardous volatile, vehicle-polluted urban air 135 hydrophobic, sorption 3 aquifer materials 439 petroleum levels in fresh and waste water, evaluation and modification spectrofluorometry method 1825 volatile aromatic and halogenated, persistence in low organic carbon calcareous soil 1301

Hydrogen peroxide

photooxidation aqueous soln of phenol 1707

Hydrophobic compds

solutes, retention on RPLC supports, sorption polycyclic aromatic hydrocarbons and alkylbenzenes 1037

[4-]Hydroxybenzamide

and benzamide in water effects of TiO₂-UV, H₂O₂-UV, H₂O₂-Fe²⁺ systems on disappearance 1085

Hydroxylase

aryl hydrocarbon, induction uncharacterized PCBs, mouse and rat hepatoma cell line 201

Hydroxylation

and nitrating agents via γ -radiolysis of aqueous sodium nitrate 1245

Iminodiacetic complexes

with Fe phototransformation in aqueous soln 953

Incineration

agro-industrial wastes and emission macro- and micro-pollutants 1545 conditions, decomp [1,2-dichlorobenzene 525 hazardous waste, effect O₂ in enriched burning 249 sites for metal reclamation, PCBs, PCDDs and PCDFs in soil, Taiwan 1669

Incinerators

effect control HCl level in flue gas and gas temp, PCDDs and PCDFs formation 589 effluents environmental impact 1775 modern, heavy metal analysis of foliage 1905 solid waste combustors, metal concentration in ash 271 stretched flames, dioxin formation 1785

Information system

with testset 68 chemicals for environmental chemicals 857

Insects

aquatic larvae, typology of susceptibilities to larvicides in tropical environment 2009

Intermediates

photodegradation [2-Cl-s]-triazine herbicides 891

Iron

complexes with iminodiacetic, phototransformation in aqueous soln 953

Irradiation

gasoline vapours under atmospheric conditions, formation ozone, PAN, PPN and nitric acid 1447

2,4-D-Iso-octyl ester

retention and stability on low monitoring tubes 261

Isomers

geometric, bioconcentration [*d*-]phenothrin in fish, effect of metabolism 2001

Jet fuel

JP-8 fate and effects in environment 219

Kinetics
biodegradation, linear
alkylbenzenesulfonates in
well water 969

Laboratory contamination
leakage PCBs and PCNs from
electronic equipment 1197

Landfill
gas from solid waste,
concentration and toxicology
of trace organic compds 1207

Larvicides
tropical environment, typology
of susceptibilities aquatic
insect larvae 2009

Lead
accumulation in agricultural
soil and highway vegetation
941
analysis of foliage near modern
incinerator 1905
Cd, PAH, PCCD, PCDF and
PCB in roadside soil, relation
between distance and
concentration 107
concentration, foliage near
refuse incinerator 475

Least square regression
and principal component
analysis, PCDDs, and PCDFs
pollution survey 1885

Liver
and intestines of chickens, diet
treated with
3-phenoxybenzoic acid,
bioavailability of bound
residues in rats 745
rat, bioavailability
[2,3,7,8]-PCDFs and PCDDs,
flue ash and extracts 763

Luminescent photobacteria
and structure activity
relationships,
nitroparaffins toxicity
tests 1835

[N-(tribromophenyl)-]maleimide
pyrolysis, formation brominated
phenazines 1625

Mass spectrometry
data predicting environmental
degradability organic compds
1473

Mass spectroscopy
high resolution and electron
capture, dioxins and furans in
air 421

Mathematical model
pollution aerial application
pesticides, rice fields 867

Matrix separation
PCDFs and monohalo
dibenzodioxins, selective
losses 413

Mechanisms
chemchar using
hexachlorobenzene surrogate
for monitoring reaction
products 1867
photodegradation,
2,3,7,8-TCDD by
PM3-MNDO 291

Mecoprop
degradation in aerobic aquifer,
lab batch studies 547

Mercury
levels in dental surgeries and
personnel, Slovenia 1731
vapor and Cl gas, reactions at
occupational exposure levels
1633

Metabolism
2-methylheptane, male Fischer
344 rats 517
[n-alkyl substit cyclohexanes
by marine *Alcaligenes* 1441
effect on bioconcentration
geometric isomers
[d-]phenothrin in fish 2001

Metabolites
levels, aromatic hydrocarbons
in fish tissue by
HPLC/fluorescence 497

Metals
concentrations in ash, municipal
solid waste combustors 271
ions, photo-oxidative
dissolution of CdS(s) 281
reclamation incineration sites,
PCBs, PCDDs and PCDFs in
soil, Taiwan 1669
see also specific metals

Methylbenzenes
distribution properties by
solubility parameters 453

Mevinphos
seasonal degradation, crops,
USA 1990 773

Microorganisms
anaerobic degradation of
chlorofluorocarbons 935
biomass, biosorption and
desorption, humic acid 1573
degradation, PCBs, aquatic
environment 881
marine, dichlorprop
degradation, chromatographic
separation of enantiomeric
pollutants 1423

Milk
cow's, Switzerland, PCDDs and
PCDFs 1013
human, analysis, PCDD/F,
PBDD/F and PXDD/F 1431
human, isolation and detn
coplanar PCBs by HPLC
porous graphite carbon and
GC/ECD 465
pinniped, Arctic, Antarctic,
Australia, California PCBs
and organochlorine levels 779

Models
aquatic systems, sorption onto
sediments and sewage sludges
51
generic, evaluating regional fate
chemicals 695
mathematical, pollution, aerial
application pesticides, rice
fields 867
partitioning, and experimental
sorption data, contradictions
between 1259
pesticide pollution, aerial
application rice fields 867

Monitoring
auxin-type herbicide pollution
719
organophosphorus and
organochlorinated compds,
rice field, *Gambusia affinis* as
indicator 735
pine needle, atmospheric
pollution persistent organic
compds 229
pool for dioxin, hair analysis
351
site, atmospheric transport
delivering contaminants to
Scotian shelf, Sable island
1389
tubes, retention and stability,
2,4-D iso-octyl ester 261
see also Biomonitor

Montmorillonite
removal of [2,4-dichloro-]
phenoxyacetic acid from
water 1493

Movement
Cd, Ni and Zn through soils,
effect of alcohols 1855

Multispecies toxicity testing
1653

Mutagenicity
activity and emission PAH
from wood stoves depends on
quality of wood 1317
activity *S typhimurium*
chlorinated sewage 927

Mytilus edulis
trifenytin after use restriction
1103

Naphthalene
benzene and [1,1,1-]
trichloroethane, sorption on
aquifer materials of low
carbon content 979
nonequilibrium transport
through aquifer materials
using batch sorption
parameters 141

Natural water see under Water

Nephro- and radiotoxicity
uranium in diet, risk assessment
309

Nickel
adsorption, desorption and
movement through soils,
effect of alcohols 1855

Nitration
and hydroxylating agents via
 γ -radiolysis of aqueous
sodium nitrate 1245

Nitric acid
formation, irradiation gasoline
vapours under atmospheric
conditions 1447

Nitro aromatics
formation in aqueous soln 1245

Nitro polycyclic hydrocarbons
aqueous solubilities by dynamic
couple-column HPLC 1699

Nitrobenzene
degradation via oxidation in
homogeneous phase,
photolysis in presence H_2O_2
versus Fenton reaction 1369
and nitrophenols, degradation
via oxidation in homogeneous
phase, photolysis in presence
 H_2O_2 versus Fenton reaction
1369

Nitrogen dioxide
uptake and release from soil
and building stones into
atmosphere 1943

Nitroparaffins
structure activity relationships,
toxicity tests luminescent
photobacteria 1835

Nitrophenols
degradation via oxidation in
homogeneous phase,
photolysis in presence H_2O_2
versus Fenton reaction 1369

Nitropolychlorodibenzodioxins
photolysis with base for
destruction PCDDs 433

Nothofagus forest
elemental composition lichens,
Chile 155
S Chile, elemental composition
lichens 155

NTA
behaviour and effects,
anaerobic bankfiltration 1217

O₂ enriched burning
incineration hazardous waste
249

Oil
cod liver, PCB congeners and
chlorinated pesticides 1687
products, aquatic toxicity
testing, recommendations
1469
products, biodegradability in
CEC L-33-T-82 and modified
sturm tests 1989

Oncorhynchus mykiss
and *Gadus morhua*,
[2,3,7,8-]TCDD distribution
differences in tissues 581

Oogenesis
Brachydanio rerio, effects of
[2,3,7,8-]TCDD 1361

Oryzias latipes
exposed to Cd, zinc and Cu
variation in
metallothionein-like protein
1799

Ozone
formation, irradiation gasoline
vapours under atmospheric
conditions 1447

PAN
formation, irradiation gasoline
vapours under atmospheric
conditions 1447

Pandion haliaetus
analysis, PBDD/F, PCDD/F and
PXDD/F 1431

Partition behaviour
[2,2',5,5'-]tetrachlorobiphenyl,
DDT and [3,4-]benzopyrene,
natural humic waters 919

Pathways
and decomp intermediates,
photodegradation
[2-Cl-s-]triazine herbicides
891
and human exposure,
pentachlorophenol, UK 847

PBDD
PCDD and PXDD, analysis in
Salmo salar, *Pandion*
haliaetus and human milk
1431

PBDF
PCDF and PXDF, analysis in
Salmo salar, *Pandion*
haliaetus and human milk
1431

PCBs
aqueous environment, microbial
degradation 881
aqueous solns, for
environmental toxicology 483
congener-specific analyses,
sediment core, lake, Japan
427
congeners 77, 126 and 169,
detn in biotic and abiotic
matrices 1147
congeners in cod liver oil
reference material 1687
contaminated soil, effect base
catalysed dechlorination 1713

coplanar, congeners in seal tissue, chromatography on active carbon, dual column GC/ECD and GC/MS 1181

coplanar, human milk, isolation and by HPLC porous graphitic carbon and GC/ECD 465

dermal absorption in man 1283

distribution and fractionation, contaminated lake 1921

leakage from electronic equipment 1197

mixtures in *Phoca vitulina*, correlation between concentration and composition 1111

non-ortho substit coplanar, selective retention on adsorbents for column chromatography 323

and organochlorine levels in pinniped milk, Arctic, Antarctic, Australia, California 779

PCDDs, PCDFs, PAH, Cd and Pb in roadside soil, relation between distance and concentration 1077

PCDDs, and PCDFs in soil, incineration sites for metal reclamation, Taiwan 166, 1669

solubility in binary water/organic solvents systems 1347

uncharacterized, aryl hydrocarbon hydroxylase induction, mouse and rat hepatoma cell line 201

[2,3,7,8]-PCDD
and PCDFs from flue ash and extracts, comparative bioavailability, rat liver 763

PCDDs
analysis, fish, removal interfering chlorinated diphenyl ether 537

cow's milk, Switzerland 1013

destruction, photolysis nitropolychlorodibenzodioxins with base 433

dioxazine dyes and pigments 169

PCDF, PCB, PAH, Cd and Pb in roadside soil, relation between distance and concentration 1077

soil, contamination, small scrap wire and car incinerators 127

soil, Switzerland 1095

PCDFs, deposited particulate matter and bulk deposition, sample prep and extraction for analyses 575

PCDFs, formation waste incinerator, effect control HCl level in flue gas and gas temp 589

PCDFs, pollution survey by principal component analysis and partial least square regression 1885

PCDFs, sampling in emissions from combustion using adsorption 1563

PCDFs, thermally induced from tri- and tetrachlorobenzene in dielectric fluids 1845

soil, contamination, small scrap wire and car incinerators 127

soil, Switzerland 1095

[2,3,7,8]-PCDF
and PCDDs from flue ash and extracts, comparative bioavailability, rat liver 763

PCDFs
analysis, fish, removal interfering chlorinated diphenyl ether 537

cow's milk, Switzerland 1013

dioxazine dyes and pigments 169

indicated by cytochrome P4501A1 in fly ash from Cl-containing waste 391

PCDD, PCB, PAH, Cd and Pb in roadside soil, relation between distance and concentration 1077

soil, contamination, small scrap wire and car incinerators 127

soil, Switzerland 1095

PCN
leakage from electronic equipment 1197

Penetration
and structure, quantitative relationship, phenylurea herbicides through isolated plant cuticles 189

Pentachlorophenol
UK environment, budget and source inventory 833, 847

Pesticides
application using low volume technique, aerosol dissipation from greenhouse air 1157

chlorinated, in cod liver oil reference material 1687

degradability, mass spectrometry data prediction for environment 1473

environmental assessment, criteria and procedures UBA-principles 793

organochlorine, lake Xolotlan, preliminary study 1413

pollution, aerial application, mathematical model, rice fields 867

suspended solids and sediments, handling and separation 819

three-step oak wood food chain 1765

water and fish, rivers flowing into lake Biwa 1523

Petroleum
hydrocarbon levels in fresh and waste water, evaluation and modification spectrofluorometry method 1825

Pharmacology
approach in environmental science, atrazine clearance from soil 1645

Phenol
photooxidation aqueous soln with hydrogen peroxide 1707

[d-]Phenothrin
geometric isomers, bioconcentration in fish, effect of metabolism 2001

[2,4-dichloro-]Phenoxyacetic acid
removal from water by organic clays 1493

[3-]Phenoxybenzoic acid
treated diet chickens liver and intestine, bioavailability in rats of bound residues 745

Phenylurea
herbicides, relationship between penetration and structure through isolated plant cuticles 189

Phoca vitulina
PCB mixtures, correlation between concentration and composition 1111

Phosphorus
organo-compds, monitoring, rice field, *Gambusia affinis* as indicator 735

Photobacteria
and structure activity relationships, nitroparaffins, toxicity tests 1835

Photocatalysis
degradation, selected azo dyes 335

Photodegradation
-structure, 2-thiomethyl-N-methylphenyl carbamate 513
-structure, 4-thiomethyl-N-methylphenyl carbamate 181
mechanism, 2,3,7,8-TCDD by PM3-MNDO 291
pathways and decomp intermediates, [2-Cl-s-]triazine herbicides 891
rate, aquatic, bromoxynil, effect of carbonates 1119

Photolysis
and HPLC technique study, 4- and 3-bromophenol 911
nitropolychlorodibenzodioxins with base, for destruction PCDDs 433
in presence H_2O_2 versus Fenton reaction, degradation nitrobenzene and nitrophenols 1369

Photooxidation
benzo[b]thiophene in aqueous soln 383
dissolution, CdS(s), presence heavy metal ions 281
phenol aqueous soln with hydrogen peroxide 1707

Photosensitization
transformations, atrazine under simulated sunlight in aqueous humic acid soln 1597

Phototransformation
iminodiacetic complexes with Fe in aqueous soln 953
phthalic anhydride in natural waters 673

Phoxinus phoxinus
fed labelled 109 Cd *Daphnia magna*, Cd turnover 359

Phthalic anhydride
in natural waters, phototransformation 673

Pigments
dioxazine, content PCDDs and PCDFs 169
see also Dyes

Plants
foliage, Cd and Pb concentration, near refuse incinerator 475
foliage near modern incinerator, heavy metal analysis 1905
leaf litter, Zn and Cu availability, use of *Arctitalirus dorrieni* as biomonitor 1505
lichens, elemental composition, *Nothofagus* forest, S Chile 155
pines, needle monitoring, atmospheric pollution persistent organic compds 229
relationship between penetration and structure, phenylurea herbicides through isolated cuticles 189
rice, field, *Gambusia affinis* as indicator, monitoring organophosphorus and organochlorinated compds 735
vegetation, highway, Pb accumulation 941

Pollutants
distribution properties by solubility parameters 453
emission from biomass incineration 1545
landfill gas from solid waste, concentration and toxicology of trace organic compds 1207
polyhalogenated, analysis in sediment and sewage sludge 1721
soil adsorption coeff K_{oc} , silica-humate and alumina-humate HPLC stationary phases 403

Pollution
aerial application pesticides, mathematical model, rice fields 867
atmospheric, persistent organic compds, pine needle monitoring 229
by auxin-type herbicides, air monitoring 719
survey PCDDs and PCDFs by principal component analysis and partial least square regression 1885

Polychlorinated dibenzothiophenes in bleached pulp mill effluent 1755

Polycyclic aromatic hydrocarbons
and alkylbenzenes sorption on RPLC supports 1037
emission and mutagenic activity from wood stoves depends on quality of wood 1317
PCDD, PCDF, PCB, Cd and Pb in roadside soil, relation between distance and concentration 1077

Polyhalogenated organic pollutants, analysis in sediment and sewage sludge 1721

Pozzolana
-induced reductions in environmental availability Cd from fly and bottom ash 1591

Principal component analysis
and partial least square regression PCDDs, and PCDFs pollution survey 1885
and spatial correlation environmental analytical software 1607

Protein
metallothionein-like, zinc and Cu variation in *Oryzias latipes* exposed to Cd 1799

Pulp
bleaching effluents, free and bound chlorophenols 1253
mill effluents, sludges and exposed biota, alkyl PCBs and planar aromatic chloro-compds 559
paper from bagasse, effluent treatment 371

Pyrolysis
 [2,4,6-]tribromoaniline and [N-(tribromophenyl)-]maleimide, formation brominated dioxins and phenazines 1625

Quinoline
 controlling slow sorption on clay transport columns 1127

Radio- and nephrotoxicity
 uranium in diet, risk assessment 309

Reductions
 pozzolana-induced in environmental availability Cd from fly and bottom ash 1591

Relationships
 between penetration and structure, phenylurea herbicides through isolated plant cuticles 189 formation PCDDs and PCDFs and combustion control 589 quantitative, structure and penetration, herbicides through plant cuticles 189

Reproduction
 and oogenesis *Brachydanio rerio*, effects of [2,3,7,8-]TCDD 1361

Retention
 hydrophobic solutes on RPLC supports, sorption polycyclic aromatic hydrocarbons and alkylbenzenes 1037 non-ortho substitut coplanar PCBs on adsorbents for column chromatography 323 and stability, 2,4-D iso-octyl ester on low monitoring tubes 261

Risk assessment
 uranium in diet, nephro- and radiotoxicity 309

RPLC supports
 retention hydrophobic solutes, sorption polycyclic aromatic hydrocarbons and alkylbenzenes 1037

Salmo salar
 analysis, PBDD/F, PCDD/F and PXDD/F 1431

Scrap material
 car incineration, PCDFs and PCDDs soil contamination 127 wire, PCDFs and PCDDs soil contamination 127

Sediments
 /water ratio effect and adsorption-desorption hysteresis in sorption studies 1259 analysis polyhalogenated pollutants 1721 core lake, PCB congeners-specific analyses, Japan 427 handling and separation pesticides 819 lake bottom, chlorophenol drinking water contamination 1805 sea, adsorbable organic halogen compds 1331

Selectivity
 retention, non-ortho substitut coplanar PCBs on adsorbents for column chromatography 323

Sewage
 chlorinated [3-]chloro-4-(dichloromethyl)-5-hydroxy-2(5H)-furanone 927 sludge, analysis polyhalogenated pollutants 1721

Silica-humate
 and alumina-humate, HPLC stationary phases, detn adsorption coeff K_{oc} of soil for pollutants 403

Simulium damnosum
 larvae, typology of susceptibilities to larvicides in tropical environment 2009

Sludges
 pulp mill products, alkyl PCBs and planar aromatic chloro-compds 559

Software
 analysis chemical data of environmental interest 1607

Soil
 adsorption, desorption and movement, Cd, Ni and Zn, effect of alcohols 1855

adsorption coeff K_{oc} for pollutants, silica-humate and alumina-humate HPLC stationary phases 403 after acetylation, chlorocatechol extraction 1031 atrazine clearance, application pharmacological approach in environmental science 1645 contamination, PCDDs and PCDFs, small scrap wire and car incinerators 127 and highway vegetation, Pb accumulation 941 low organic carbon calcareous, persistence of volatile aromatic and halogenated hydrocarbons 1301 non-isothermal exchange of gases with atmosphere 1961 PCBs, contaminated, effect base catalysed dechlorination 1713 PCBs, PCDDs and PCDFs, incineration sites for metal reclamation, Taiwan 1669 PCDDs and PCDFs in Switzerland 1095 roadsoil, relation between distance and concentration, Cd, Pb, PAH, PCCD, PCDF and PCB 107 sub, materials, water saturated, transformation ^{14}C -labelled [1,2-]dichloropropane 993 transport atrazine effect organic fertilizer 663 UK environment, budget and source inventory pentachlorophenol 833, 847 uptake and release nitrogen dioxide into atmosphere 1943

Solubility
 aqueous, nitro polycyclic hydrocarbons by dynamic couple-column HPLC 1699 parameters, distribution properties pollutants 453 PCBs in binary water/organic solvents systems 1347

Sorption
 benzene, [1,1,1-]trichloroethane and naphthalene on aquifer materials of low carbon content 979 control, quinoline on clay transport columns 1127 experimental data and partitioning model, contradictions between 1259 hydrophobic hydrocarbons, 3 aquifer materials 439

parameters, nonequilibrium transport naphthalene through aquifer materials 141
see also Biosorption

Spectrofluorometry
for petroleum hydrocarbon levels in fresh and waste water, evaluation and modification 1825

Stability
and retention, 2,4-D iso-octyl ester on low monitoring tubes 261

Structure
activity relationships, nitroparaffins, toxicity tests luminescent photobacteria 1835
penetration, quantitative relationship, phenylurea herbicides through isolated plant cuticles 189
photodegradation, 2-thiomethyl-N-methylphenyl carbamate 513
photodegradation, 4-thiomethyl-N-methylphenyl carbamate 181

Sturm tests
modified and CEC L-33-T-82, biodegradability oil products 1989

S typhimurium
mutagenic activity chlorinated sewage 927

Styrene
exposure, [N-acetyl-S2-phenyl-2-hydroxyethyl]cysteine in human urine 1553

Sulfide ions
effect on dechlorination chlorinated hydrocarbons in aqueous solns 1063

Surfactants
DTDMAC fabric softener toxicity and ecotoxicological risk 599, 611, 629, 641

[2,3,7,8-]TCDD
distribution differences in tissues *Gadus morhua* and *Oncorhynchus mykiss* 581
effects on reproduction and oogenesis, *Brachydanio rerio* 1361
mechanism photodegradation by PM3-MNDO 291

Techniques
detn,
N-acetyl-S-(2-phenyl-2-hydroxyethyl)cysteine, human urine after exposure to styrene 1553
detn coplanar PCBs, seal tissues, GC/high resolution MS 1181
detn PCB congeners in biotic and abiotic matrices 1147

[2,2',5,5'-]Tetrachlorobiphenyl
DDT and [3,4-]benzopyrene natural humic waters, partition behaviour 919

Thermal reactions
destruction
chlorofluoromethanes in turbulent flame 117
induced, PCDDs and PCDFs from tri- and tetrachlorobenzene in dielectric fluids 1845

Thiophanate-methyl
and dichlorvos, decline in concentration of residue with time, dissipation of aerosol from greenhouse air 1157

Thunnus thynnus
N W Atlantic, concentration 24 elements 211

TiO₂-UV system
effect on disappearance [4-]hydroxybenzamide and benzamide in water 1085

Tissues
distribution differences, [2,3,7,8-]TCDD, *Gadus morhua* and *Oncorhynchus mykiss* 581
seal, coplanar congeners PCBs, chromatography on active carbon, dual column GC/ECD and GC/MS 1181

Toxicity
aquatic testing, oil products, recommendations 1469
cationic fabric softener DTDMAC, ecotoxicological risk 599, 611, 629, 641
environmental, PCB aqueous solns 483
flue ash emissions, waste incinerators 753
testing, terrestrial multispecies assemblage 1653
tests, luminescent photobacteria and structure activity relationships, nitroparaffins 1835

Transformation
¹⁴C-labelled
[1,2-]dichloropropane in water saturated sibsoil materials 993
atrazine under simulated sunlight in aqueous humic acid soln 1597

Transport
atrazine in soil, effect organic fertilizer 663
nonequilibrium, naphthalene through aquifer materials using batch sorption parameters 141

[2-Cl-s-]Triazine
herbicides, photodegradation pathways and decomp intermediates 891

[2,4,6-]Tribromoaniline
pyrolysis, formation brominated dioxins 1625

[1,1,1-]Trichloroethane
benzene and naphthalene, sorption on aquifer materials of low carbon content 979

Triphenyltin
in mussels after use restriction, Japan 1103

Turnover
CD minnows fed 109 labelled Cd, *Daphnia magna* 359

Typology
susceptibilities aquatic insect larvae to larvicides in tropical environment 2009

UBA-principles

criteria and procedures,
environmental assessment
pesticides 793

Uptake

nitrogen dioxide from soil and
building stones into
atmosphere 1943

Uranium

in diet, risk assessment of
nephro- and radiotoxicity 309

Urine

[N-acetyl-S2-phenyl-2-
hydroxyethyl]cysteine after
human styrene exposure 1553

Vapor pressure

[4,4'-]bipyridine by gas
saturation and GC 1679

Vehicles

polluted urban air by hazardous
volatile hydrocarbons 135

Vermiculite

removal of
[2,4-dichloro-]phenoxyacetic
acid from water 1493

Volatility

aromatic and halogenated
hydrocarbons, persistence in
low organic carbon
calcareous soil 1301
hazardous hydrocarbons,
vehicle-polluted urban air 135

Waste

combusters, metal concentration
in ash 271
dry-cleaning material
combustion, emission
chlorinated compds 343
incinerators, toxicity flue ash
emissions 753
incomplete combustion products
525
landfill gas, concentration and
toxicology of trace organic
compds 1207

Water

degradation
chlorofluorocarbon-113,
anaerobic conditions 1225
drinking, behaviour and effects
of NTA, anaerobic
bankfiltration 1217
drinking, chlorophenol
contamination, lake bottom
sediments 1805
fresh and waste samples,
spectrofluorometry for
petroleum hydrocarbon levels,
evaluation and modification
1825

natural, phototransformation
phthalic anhydride 673

pesticides in rivers flowing into
lake Biwa 1523

rain, measurement of aliphatic
amines 1533

removal of [2,4-dichloro-]
phenoxyacetic acid by
organic clays 1493

well, kinetics
biodegradation [linear-]
alkybenzenesulfonates
969

Wood

stoves, mutagenic activity and
emission PAH depends on
quality of wood 1317

Zinc

adsorption, desorption and
movement through soils,
effect of alcohols 1855
availability in leaf litter, use of
Arctiolarus dorrieni as
biomonitor 1505
and Cu variation in
metallothionein-like protein in
Oryzias latipes exposed to Cd
1799

AUTHOR INDEX VOL. 24, 1992

Addison J. and Cote K. A. Structure-photodegradation of 4-thiomethyl-*N*-methyl-phenylcarbamate 181

Addison J. B. and Byvik R. L. Structure-photodegradation of 2-thiomethyl-*N*-methylphenylcarbamate 513

Addison R. F. see Bidleman T. F. 1389

Airoldi L. see Benfenati E. 1077

Akhtar M. H. see Singh K. 745

Akimoto Y. see Takeshita R. 589

Alary J. see Merlin G. 37

Albaigés J. see Porte C. 735

Aldous K. M. see Alsabbagh A. M. 1625

Ali S. see Khan S. G. 959

Alsabbagh A. M., Aldous K. M., Narang R. S. and O'Keefe P. W. Formation of brominated dioxins and brominated phenazines from pyrolyses of 2,4,6-tribromoaniline and *N*-(tribromophenyl) maleimide 1625

Andersson B. see Norström Å. 1553

Andersson J. T. and Bobinger S. Polycyclic aromatic sulfur heterocycles-II. Photochemical oxidation of benzo[b]thiophene in aqueous solution 383

Andersson L. see Wicklund Glynn A. 359

Andren A. W. see Li A. 1347

Andrianirinaharivelho S. L. and Bolte M. Photochemical transformation of iminodiacetic complexes with iron (III) in aqueous solution 953

Aoki S. see Tsuda T. 1523

Apel P. see Klein A. W. 793

Aringer L. see Norström Å. 1553

Artiola J. F. see Miller R. M. 1855

Asplund L. see Nylund K. 1721

Assmuth T. and Kalevi K. Concentrations and toxicological significance of trace organic compounds in municipal solid waste landfill gas 1207

Avula M. and Puri I. K.. Dioxin formation in stretched flames 1785

Bache C. A., Elfving D. C. and Lisk D. J. Cadmium and lead concentration in foliage near a municipal refuse incinerator 475

Bacon C. E., Jarman W. M. and Costa D. P. Organochlorine and polychlorinated biphenyl levels in pinniped milk from the Arctic, the Antarctic, California and Australia 779

Bajt O., Šket B. and Faganeli J. Photochemical transformation of phthalic anhydride in natural waters 673

Ballschmiter K. see Mössner S. 1171

Ballschmiter K. see Schimmel H. 413

Barceló D. see Porte C. 735

Battersby N. S., Pack S. E. and Watkinson R. J. A. correlation between the biodegradability of oil products in the CEC L-33-T-82 and modified sturm tests 1989

Baumgärtner M., Bock E. and Conrad R. Processes involved in uptake and release of nitrogen dioxide from soil and building stones into the atmosphere 1943

Baxter R. M. and Malysz J. Analysis of aquatic humic material and high molecular weight components of bleached kraft mill effluent (BKME) by gradient gel electrophoresis 1745

Becker P. R. see Mössner S. 1171

Beer P. R. de see Smith C. 261

Beer P. R. de, Smit C. and van Dyk L. P. Air monitoring for pollution by auxin-type herbicides 719

Begum S. see Spencer J. R. 773

Benfenati E. see Mariani G. 1545

Benfenati E., Valzacchi S., Mariani G., Airoldi L. and Fanelli R. PCDD, PCDF, PCB, PAH, cadmium and lead in roadside soil: relationship between road distance and concentration 1077

Bennett D. see Girling A. E. 1469

Benoit F. M. see Williams D. T. 169

Bidleman T. F., Cotham W. E., Addison R. F. and Zinck M. E. Organic contaminants in the northwest Atlantic atmosphere at Sable Island, Nova Scotia, 1988-89 1389

Bigelow C. see Goldin A. 271

Blake G. see Merlin G. 37

Bobinger S. see Andersson J. T. 383

Bock E. see Baumgärtner M. 1943

Bock K. W. see Wannemacher R. 1361

Boelcke C. see Wiersma G. B. 155

Boesten J. J. T. I., van der Pas L. J. T., Leistra M., Smelt J. H. and Houx N. W. H. Transformation of ^{14}C -labelled 1,2-dichloropropane in water-saturated subsoil materials 993

Bolte M. see Andrianiraharivelo S. L. 953

Bombick D. D. see Servé M. P. 517

Bonifito E. see Mariani G. 1545

Bonin P. see Rontani J.-F. 1441

Bosshard E., Zimmerli B. and Schlatter Ch. Uranium in the diet: risk assessment of its nephro- and radiotoxicity 309

Boumphrey R. see Harrad S. J. 1147

Bradley S. E. see Karlaganis G. 1645

Brakstad F. A comprehensive pollution survey of polychlorinated dibenzo-*p*-dioxins and dibenzofurans by means of principal component analysis and partial least squares regression 1885

Breen J. J. see Cash G. G. 1606

Brevik E. M. see Hektoen H. 581

Brezny R. and Joyce T. W. Extraction of chlorocatechols from soil after acetylation 1031

Brouwer D. H., De Vreede J. A. F., Ravensberg J. C., Engel R. and van Hemmen J. J. Dissipation of aerosols from greenhouse air after application of pesticides using a low-volume technique. Implications for safe re-entry 1157

Brown S. see Lesage S. 1225

Brüggemann R. see Thumm W. 1835

Brunn D. A. see Wiersma G. B. 155

Brusseau M. Larsen T. see Larsen T. 141

Bühler F. see Schmid P. 1283

Buijze A. see Roghair C. P. 599

Bulman R. A. see Szabó G. 403

Bunce N. J., Di Diodato G. and Safe S. H. Photolysis of nitropolychlorodibenzo-*p*-dioxins with base as potential methodology for the destruction of polychlorinated dibenzo-*p*-dioxins 433

Bush B. see Hong C.-S. 465

Bush B. see Sokol R. C. 483

Büthe A. see Heidmann W. A. 1111

Byvik R. L. see Addison J. B. 513

Calamari D. see Tremolada P. 1473

Calero S., Fomsgaard I., Lacayo M. L., Martínez V. and Rugama R. Preliminary study of 15 organochlorine pesticides in Lake Xolotlán, Nicaragua 1413

Camargo J. A. and Ward J. V. Short-term toxicity of sodium nitrate (NaNO_3) to non-target freshwater invertebrates 23

Caponecchi G. see Desiderio C. 1245

Carlin V. see Pelizzetti E. 891

Cash G. G. and Breen J. J. Principal component analysis and spatial correlation: environmental analytical software tools 1606

Cattley R. C. see Gallagher E. P. 3

Cederberg T. see Storr-Hansen E. 1181

Cederberg T. see Storr-Hansen E. 323

Celano G. see Piccolo A. 1381

Chamel A. see Chaumat E. 189

Chang T. see Huang C.-W. 1669

Chaumat E., Chamel A., Taillandier G. and Tissut M. Quantitative relationships between structure and penetration of phenylurea herbicides through isolated plant cuticles 189

Christensen T. H. see Heron G. 1541

Christensen T. H. see Heron G. 547

Christensen T. H. see Larsen T. 141

Christensen T. H. see Larsen T. 439

Christensen T. H. see Larsen T. 979

Cleemann M. see Storr-Hansen E. 323

Clemens J. M. see Servé M. P. 517

Conrad R. see Baumgärtner M. 1943

Cornejo J. see Hermosin M. C. 1493

Costa D. P. see Bacon C. E. 779

Cote K. A. see Addison J. 181

Cotham W. E. see Bidleman T. F. 1389

Cowan C. E. see Versteeg D. J. 641

Crane J. L. and Sonzogni W. C. Temporal distribution and fractionation of polychlorinated biphenyl congeners in a contaminated Wisconsin Lake 1921

Crescente M. F. see Gratani L. 941

Dannenfelser R. M. see Myrdal P. 1047

Davis A. P. see Hsieh Y. H. 281

Davoli E. see Tremolada P. 1473

Dean-Ross D., Mayfield H. and Spain J. Environmental fate and effects of jet fuel JP-8 219

Delfino J. J. see Woodburn K. B. 1037

DeMarini D. M., Houk V. S., Kornel A. and Rogers C. J. Effect of a base-catalyzed dechlorination process on the genotoxicity of PCB-contaminated soil 1713

Denovan B. A. and Strand S. E. Biological degradation of chlorofluorocarbons in anaerobic environments 935

Desiderio C., Perez G., Caponecchi G. and Lilla E. Formation of nitroaromatics in aqueous solutions 1245

Diodato G. Di see Bunce N. J. 433

Dolci M. see Minero C. 1597

Dolci M. see Pelizzetti E. 891

Doong R.-A. and Wu S.-C. Reductive dechlorination of chlorinated hydrocarbons in aqueous solutions containing ferrous and sulfide ions 1063

Doucette W. J. see Li A. 1347

Duarte-Davidson R. see Harrad S. J. 1147

Eadon G. A. see Swami K. 1845

Elfving D. C. see Bache C. A. 475

Elfving D. C. see Gutenmann W. H. 1905

Elouard J.-M. see Yaméogo L. 2009

Engel R. see Brouwer D. H. 1157

Eriksson G. see Jensen S. 229

Etoh C. see Yakabe Y. 969

Evers E. H. G. see Govers H. A. J. 453

Evmorfopoulou E. see Roumelis N. 1447

Eynck P. see Kirschner P. 575

Faganelli J. see Bajt O. 673

Fancey L. L. see Hellou J. 211

Fanelli R. see Benfenati E. 1077

Fanelli R. see Mariani G. 1545

Fanelli R. see Tremolada P. 1473

Farkas G. see Szabó G. 403

Feijtel T. C. J. see Versteeg D. J. 641

Finley K. see Wiersma G. B. 155

Fischer K. Sorption of chelating agents (HEDP and NTA) onto mineral phases and sediments in aquatic model systems—II. Sorption onto sediments and sewage sludges 51

Fitzgerald E. F. see Hong C.-S. 465

Folke J. and Guerra M. Control of effluent from the manufacturing of bleached pulp and paper from bagasse 371

Fomsgaard I. see Calero S. 1413

Freitag D. see Thumm W. 1835

Fries G. F. and Marrow G. S. Influence of soil properties on the uptake of hexachlorobiphenyls by rats 109

Fujita T. see Tsuda T. 1523

Fukui S., Ogawa S., Kita H., Hanazaki Y. and Kami H. 3-chloro-4-(dichloromethyl)-5-hydroxy-(5H)-furanone (MX) in chlorinated domestic sewage 927

Fuller W. H. see Miller R. M. 1855

Funcke W. and Linnemann H. Sampling of polychlorinated dibenzofurans (PCDF) and dibenz(*p*)dioxins (PCDD) in emissions from combustion facilities using an adsorption method 1563

Gabring S. see Wicklund Glynn A. 359

Gallagher E. P., Cattley R. C. and Di Giulio R. T. The acute toxicity and sublethal effects of chloro halonil in channel catfish (*Ictalurus punctatus*) 3

Gälli R., Krebs J., Kraft M. and Good M. PCDDs and PCDFs in soil samples from Switzerland 1095

Girling A. E., Markarian R. K. and Bennett D. Aquatic toxicity testing of oil products -- some recommendations 1469

Giulio R. T. Di see Gallagher E. P. 3

Glavas S. see Roumelis N. 1447

Goedicke J. see Klein A. W. 793

Goldin A., Bigelow C. and Veneman P. L. M. Concentrations of metals in ash from municipal solid waste combustors 271

Goldman S., Minkin L. M. and Makarov V. P. Non-isothermal gaseous exchange between soil and atmosphere 1961

Gonzales M. see Spencer J. R. 773

González-López J. see Martinez-Toledo M. V. 71

Good M. see Gälli R. 1095

Govers H. A. J. and Evers E. H. G. Prediction of distribution properties by solubility parameters: description of the method and application to methylbenzenes 453

Gratani L., Taglioni S. and Crescente M. F. The accumulation of lead in agricultural soil and vegetation along a highway 941

Greef J. de see de Nijs T. 611

Greef J. de see van Leeuwen K. 629

Grönberg L., Lövkist P. and Jönsson J. A. Measurement of aliphatic amines in ambient air and rainwater 1533

Grove A. see Nielsen P. A. 1317

Guardo A. Di see Tremolada P. 1473

Guerra M. see Folke J. 371

Guillard C. see Maillard C. 1085

Gunkel W. see Ludwig P. 1423

Gutenmann W. H., Rutzke M., Elfving D. C. and Lisk D. J. Analysis of heavy metals in foliage near a modern refuse incinerator 1905

Haglund P. see Wiberg K. 1431

Hakala E. see Song X. 249

Hanazaki Y. see Fukui S. 927

Harkey G. A. and Klaine S. J. Bioconcentration of *trans*-chlordane by the midge, *Chironomus decorus* 1911

Harless R. L. see Koester C. J. 421

Harrad S. J. see Wild S. R. 833

Harrad S. J., Sewart A. S., Bounphrey R., Duarte-Davidson R. and Jones K. C. A method for the determination of PCB congeners 77,126 and 169 in biotic and abiotic matrices 1147

Hase A. see Song X. 249

Heidmann W. A., Staats de Yanés G., Büthe A. and Rüssel-Sinn H. Correlation between concentration and composition of PCB mixtures in seals (*Phoca vitulina*) 1111

Hektoen H., Ingebrigtsen K., Brevik E. M. and Oehme M. Interspecies differences in tissue distribution of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin between cod (*Gadus morhua*) and rainbow trout (*Oncorhynchus mykiss*) 581

Hellou J., Fancey L. L. and Payne J. F. Concentrations of twenty-four elements in bluefin tuna, *Thunnus thynnus* from the Northwest Atlantic 211

Hermosin M. C. and Cornejo J. Removing 2,4-D from water by organo-clays 1493

Hernandez B. Z. see Spencer J. R. 773

Heron G. and Christensen T. H. Corrigendum 1541

Heron G. and Christensen T. H. Degradation of the herbicide Mecoprop in an aerobic aquifer determined by laboratory batch studies 547

Herzog D. P. see Itak J. A. 11

Heumann K. G. see Reifenhäuser W. 1293

Hites R. A. see Koester C. J. 421

Holmbom B. see Kulovaara M. 919

Hong C.-S., Bush B., Xiao J. and Fitzgerald E. F. Isolation and determination of mono-ortho and non-ortho substituted FCBs (coplanar PCBs) in human milk by HPLC porous graphitic carbon and GC/ECD 465

Horvat M. see Klemenc F. 1731

Hosler K. R. see Lesage S. 1225

Houk V. S. see DeMarini D. M. 1713

House W. A. and Ou Z. Determination of pesticides on suspended solids and sediments: investigations on the handling and separation 819

Houx N. W. H. see Boesten J. J. T. I. 993

Hsieh Y. H., Huang C. P. and Davis A. P. Photo-oxidative dissolution of CdS(s) in the presence of heavy metal ions 281

Huang C.-W., Miyata H., Lu J.-R., Ohta S., Chang T. and Kashimoto T. Levels PCBs, PCDDs and PCDFs in soil samples from incineration sites for metal reclamation in Taiwan 1669

Huang C. P. see Hsieh Y. H. 281

Huestis S. Y. and Sergeant D. B. Removal of chlorinated diphenyl ether interferences for analyses of PCDDs and PCDFs in fish 537

Hühnerfuss H. see Ludwig P. 1423

Hustert K. and Zepp R. G. Photocatalytic degradation of selected azo dyes 335

Ingebrigtsen K. see Hektoen H. 581

Itak J. A., Selisker M. Y. and Herzog D. P. Development and evaluation of a magnetic particle based enzyme immunoassay for aldicarb, aldicarb sulfone and aldicarb sulfoxide 11

Jacopone S. see Mariani G. 1545

Jahan-Parwar B. see Sokol R. C. 483

Jansson B. see Nylund K. 1721

Jansson B. see Storr-Hansen E. 323

Jarman W. M. see Bacon C. E. 779

Jensen S., Eriksson G., Kylin H. and Strachan W. M. J. Atmospheric pollution by persistent organic compounds: monitoring with pine needles 229

Johansson R. see Skare I. 1633

Jones K. C. see Harrad S. J. 1147

Jones K. C. see Wild S. R. 833

Jones K. C. see Wild S. R. 847

Jönsson J. A. see Grönberg L. 1533

Jonsson P. see Nylund K. 1721

Joyce T. W. see Brezny R. 1031

Kacew S. see Singh K. 745

Kalevi K. see Assmuth T. 1207

Källman B. see Pedersen J. R. 117

Kami H. see Fukui S. 927

Kamiya M. see Makino M. 291

Kankaanpää H. and Masuku C. P. Adsorbable organic halogen compounds (AOX): determination in sea sediments 1331

Kärenlampi S. see Kopponen P. 201

Kärenlampi S. see Kopponen P. 391

Karlaganis G. and Bradley S. E. Soil atrazine clearance: application of a physiologic and clinical pharmacologic approach in environmental science 1645

Kashimoto T. see Huang C.-W. 1669

Katami T., Nisikawa H. and Yasuhara A. Emission of chlorinated compounds by combustion of waste dry-cleaning materials 343

Katou T. see Tsuchida H. 867

Katsuura H. see Yakabe Y. 969

Kawaguchi H. Photooxidation of phenol in aqueous solution in the presence of hydrogen peroxide 1707

Kettrup A. see Thumm W. 1835

Khan S. G., Ali S. and Rahman Q. Interaction of mineral fibres with lung cytochrome P-450 system: impairment of drug metabolizing enzyme activities 959

Khan S. U. see Singh K. 745

Kinner L. L., Manahan S. E. and Larsen D. W. Mechanistic study of the chemchar process using hexachlorobenzene as a surrogate for monitoring reaction products 1867

Kirschmer P., Mülder W. and Eynck P. Comparison of sample preparation and extraction procedure for the analysis of polychlorinated dibenzo-*p*-dioxins and dibenzofurans in deposited particulate matter and bulk deposition 575

Kita H. see Fukui S. 927

Kjeldsen P. see Larsen T. 439

Kjeldsen P. see Larsen T. 979

Klaire S. J. see Harkey G. A. 1911

Klein A. W., Apel P. and Goedcke J. UBA-principals on criteria and procedures for environmental assessment of pesticides 793

Klemenc F., Škreblin M., Horvat M. and Stegnar P. Mercury levels in dental surgeries and dental personnel in Slovenia 1731

Kochany J. Effects of carbonates on the aquatic photodegradation rate of bromoxynil (3,5-dibromo-4-hydroxybenzonitrile) herbicide 1119

Koester C. J., Harless R. L. and Hites R. A. Comparative analysis of dioxins and furans in ambient air by high resolution and electron capture mass spectrometry 421

Koistinen J. Alkyl polychlorobiphenyls and planar aromatic chlorocompounds in pulp mill products, effluents, sludges and exposed biota 559

Koistinen J. see Sinkkonen S. 1755

Koizumi N., Miyajima M. and Susukida M. Variation of zinc and copper in metallothionein-like protein in killifish (*Oryzias latipes*) exposed to cadmium 1799

Kojima M. see Tsuda T. 1523

Koponen P., Mannila E. and Kärenlampi S. Induction of aryl hydrocarbon hydroxylase AHH by two previously uncharacterized pentachlorinated biphenyls in a mouse and a rat hepatoma cell line 201

Koponen P., Törrönen R., Ruuskanen J., Tarhanen J., Vartiainen T. and Kärenlampi S. Comparison of cytochrome P4501A1 induction with the chemical composition of fly ash from combustion of chlorine containing material 391

Kornel A. see DeMarini D. M. 1713

Kotchetova E. see Voigt K. 857

Kraft M. see Gälli R. 1095

Krebs J. see Gälli R. 1095

Krieger R. I. see Spencer J. R. 773

Kronberg L. see Kulovaara M. 919

Krone C. A., Stein J. E. and Varanasi U. Estimation of levels of metabolites of aromatic hydrocarbons in fish tissues by HPLC/fluorescence analysis 497

Kuenemann P., de Morsier A. and Vasseur P. Interest of carbon-balance in ready biodegradability testing 63

Kuettner T. see Schramm K.-W. 351

Kuhlmann B. and Schöttler U. Behaviour and effects of NTA during anaerobic bankfiltration 1217

Kulovaara M., Kronberg L. and Holmboe B. Studies on the partition behaviour of three organic hydrophobic pollutants in natural humic water 919

Kulzer E. see Wannemacher R. 1361

Kuo H.-W., Wang J.-D. and Lin J.-M. Determination of vapor pressure for 4,4'-bipyridine by gas saturation and gas chromatographic methods 1679

Kylin H. see Jensen S. 229

Lacayo M. L. see Calero S. 1413

Lahtiperä M. see Sinkkonen S. 1755

Lammi R. see Paasivirta J. 1253

Lammi R. see Sinkkonen S. 1755

Lampi P., Tolonen K., Vartiainen T. and Tuomisto J. Chlorphenols in lake bottom sediments: a retrospective study of drinking water contamination 1805

Larsen D. W. see Kinner L. L. 1867

Larsen T., Christensen T. H. and Brusseau M. Predicting nonequilibrium transport of naphthalene through aquifer materials using batch determined sorption parameters 141

Larsen T., Kjeldsen P. and Christensen T. H. Correlation of benzene, 1,1,1-trichloroethane, and naphthalene distribution coefficients to the characteristics of aquifer materials with low organic carbon content 979

Larsen T., Kjeldsen P. and Christensen T. H. Sorption of hydrophobic hydrocarbons on three aquifer materials in a flow through system 439

Laukkarinen A. see Song X. 249

LeBel G. L. see Williams D. T. 169

Leistra M. see Boesten J. J. T. I. 993

Lesage S., Brown S. and Hosler K. R. Degradation of chlorofluorocarbon-113 under anaerobic conditions 1225

Levin J.-O. see Norström Å. 1553

Li A., Doucette W. J. and Andren A. W. Solubility of polychlorinated biphenyls in binary water/organic solvent systems 1347

Liem A. K. D. see van Wijnen J. H. 127

Lilla E. see Desiderio C. 1245

Lin J.-M. see Kuo H.-W. 1679

Linnemann H. see Funcke W. 1563

Lipczynska-Kochany E. Degradation of nitrobenzene and nitrophenols by means of advanced oxidation processes in a homogeneous phase: photolysis in the presence of hydrogen peroxide versus the Fenton reaction 1369

Lipczynska-Kochany E. Direct photolysis of 4-bromophenol and 3-bromophenol as studied by a flash photolysis/HPLC technique 911

Lisk D. J. see Bache C. A. 475

Lisk D. J. see Gutenmann W. H. 1905

Litzén K. see Nylund K. 1721

Löf A. see Norström Å. 1553

Löfgren L. and Petersson G. Proportions of volatile hazardous hydrocarbons in vehicle-polluted urban air 135

Lövkist P. see Grönberg L. 1533

Lu J.-R. see Huang C.-W. 1669

Ludwig P., Gunkel W. and Hühnerfuss H. Chromatographic separation of the enantiomers of marine pollutants--V. Enantioselective degradation of phenoxycarboxylic acid herbicides by marine microorganisms 1423

Lundén Å. see Weistrand C. 1197

Lützke K. see Schramm K.-W. 351

Mackay D., Paterson S. and Shiu W. Y. Generic models for evaluating the regional fate of chemicals 695

Maillard C., Guillard C. and Pichat P. Comparative effects of the TiO_2 -UV, H_2O_2 -UV, H_2O_2 - Fe^{2+} systems on the disappearance rate of benzamide and 4-hydroxybenzamide in water 1085

Makarov V. P. see Goldman S. 1961

Makino M., Kamiya M. and Matsushita H. Photodegradation mechanism of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin as studied by the PM3-MNDO method 291

Malysz J. see Baxter R. M. 1745

Manahan S. E. see Kinner L. L. 1867

Mannila E. see Koponen P. 201

Marchesini A. see Minero C. 1597

Mariani G. see Benfenati E. 1077

Mariani G., Benfenati E., Fanelli R., Nicoli A., Bonfitto E. and Jacopone S. Incineration of agro-industrial wastes and macro- and micropollutants emission 1545

Markarian R. K. see Girling A. E. 1469

Marrow G. S. see Fries G. F. 109

Martínez V. see Calero S. 1413

Martínez-Toledo M. V., Salmerón V. and González-López J. Effect of an organophosphorus insecticide, profenofos, on agricultural soil microflora 71

Masuku C. P. see Kankaanpää H. 1331

Matsunobu Y. see Yakabe Y. 969

Matsuo M. see Miyamoto M. 2011

Matsuo M. see Saito S. 81

Matsuo M. see Saito S. 89

Matsushita H. see Makino M. 291

Mattie D. R. see Servé M. P. 517

Mayfield H. see Dean-Ross D. 219

McAnulty L. see Wiersma G. B. 155

McDonald G. A. see Servé M. P. 517

Merlin G., Thiebaud H., Blake G., Sembiring S. and Alary J. Mesocosms' and microcosms' utilization for ecotoxicity evaluation of dichloromethane, a chlorinated solvent 37

Miller R. M., Schnabel Stitzer L., Artiola J. F. and Fuller W. H. Effect of four alcohols on adsorption, desorption, and movement of cadmium, nickel, and zinc through soils 1855

Minero C. see Pelizzetti E. 891

Minero C., Pramauro E., Pelizzetti F., Dolci M. and Marchesini A. Photosensitized transformations of atrazine under simulated sunlight in aqueous humic acid solution 1597

Minkin L. M. see Goldman S. 1961

Mishra D. see Myrdal P. 1047

Miura K. see Yakabe Y. 969

Miyajima M. see Koizumi N. 1799

Miyamoto M., Saito S., Takimoto Y. and Matsuo M. Effect of metabolism on bioconcentration of geometric isomers of *d*-phenothrin in fish 2001

Miyata H. see Huang C.-W. 1669

Morselli L., Zappoli S. and Tirabassi T. Characterization of the effluents from a municipal solid waste incineration plant and of their environmental impact 1775

Morsier A. de see Kuenemann P. 63

Mössner S., Spraker T. R., Becker P. R. and Ballschmiter K. Ratios of enantiomers of alpha-HCH and determination of alpha-, beta-, and gamma-HCH isomers in brain and other tissues of neonatal Northern fur seals (*Callorhinus ursinus*) 1171

Mothes-Wagner U., Reitze H. K. and Seitz K.-A. Terrestrial multispecies toxicity testing—I. Description of the multispecies assemblage 1653

Mülcke W. see Voigt K. 857

Mülder W. see Kirschner P. 575

Myrdal P., Ward G. H., Dannenfels R. M., Mishra D. and Yalkowsky S. H. AQUAFAC 1: aqueous functional group activity coefficients; application to hydrocarbons 1047

Narang A. S. see Swami K. 1845

Narang R. S. see Alsabbagh A. M. 1625

Narang R. S. see Swami K. 1845

Näslund P. see Norström Å. 1553

Newland L. see Stokely M. E. 1591

Nicoli A. see Mariani G. 1545

Nielsen P. A., Grove A. and Olsen H. The emission of PAH and mutagenic activity from small wood stoves is greatly influenced by the quality of the wood 1317

Nijs T. de and de Greef J. Ecotoxicological risk evaluation of the cationic fabric softener DTDMAC-II. Exposure modelling 611

Nijs T. de see van Leeuwen K. 629

Nisikawa H. see Katami T. 343

Nito S. see Takeshita R. 589

Norén K. see Weistrand C. 1197

Norström Å., Löf A., Aringer L., Samuelsson R., Andersson B., Levin J.-O. and Näslund P. Determination of *N*-acetyl-S-(2-phenyl-2-hydroxyethyl)-cysteine in human urine after experimental exposure to styrene 1553

Nylund K., Asplund L., Jansson B., Jonsson P., Litzén K. and Sellström U. Analysis of some polyhalogenated organic pollutants in sediment and sewage sludge 1721

O'Keefe P. W. see Alsabbagh A. M. 1625

Ocampo P. see Singh K. 745

Oehme M. see Hektoen H. 581

Ogawa S. see Fukui S. 927

Ohta S. see Huang C.-W. 1669

Olie K. see van Wijnen J. H. 127

Olsen H. see Nielsen P. A. 1317

Opperhuizen A. see Schrap S. M. 1259

Ou Z. see House W. A. 819

Paasivirta J. see Sinkkonen S. 1755

Paasivirta J., Tenhola H., Palm H. and Lammil R. Free and bound chlorophenols in kraft pulp bleaching effluents 1253

Pack S. E. see Battersby N. S. 1989

Palm H. see Paasivirta J. 1253

Parris R. M. see Schantz M. M. 1687

Paterson S. see Mackay D. 695

Payne J. F. see Hellou J. 211

Pedersen J. R. and Källman B. Investigation of the thermal destruction of chlorofluoromethanes in a turbulent flame 117

Pelizzetti E., Minero C., Carlin V., Vincenti M., Pramauro E. and Dolci M. Identification of photocatalytic degradation pathways of 2-C1-s-triazine herbicides and detection of their decomposition intermediates 891

Pelizzetti F. see Minero C. 1597

Pepping T. see Voigt K. 857

Perez G. see Desiderio C. 1245

Petersson G. see Löfgren L. 135

Piccolo A., Rausa R. and Celano G. Characteristics of molecular size fractions of humic substances derived from oxidized coal 1381

Picer M. and Picer N. Evaluation of modifications of the simple spectrofluorometry method for estimating petroleum hydrocarbon levels in fresh and waste water samples 1825

Picer N. see Picer M. 1825

Pichat P. see Maillard C. 1085

Porte C., Barceló D. and Albaiges J. Monitoring of organophosphorus and organochlorinated compounds in a rice crop field (Ebro Delta, Spain) using the mosquito fish *Gambusia affinis* as indicator organism 735

Prabhavathi B. see Sreedevi P. 29

Pramauro E. see Minero C. 1597

Pramauro E. see Pelizzetti E. 891

Puri I. K. see Avula M. 1785

Radhakrishnaiah K. see Sreedevi P. 29

Rahman Q. see Khan S. G. 959

Rao P. S. C. see Woodburn K. B. 1037

Rapaport R. A. see Versteeg D. J. 641

Rappe C. see Wiberg K. 1431

Rausa R. see Piccolo A. 1381

Ravensberg J. C. see Brouwer D. H. 1157

Rebstock A. see Wannemacher R. 1361

Reifenhäuser W. and Heumann K. G. Bromo- and bromochloromethanes in the Antarctic atmosphere and the south polar sea 1293

Reitzke H. K. see Mothes-Wagner U. 1653

Reuter U. see Schimmel H. 413

Riehle U. see Schimmel H. 413

Rogers C. J. see DeMarini D. M. 1713

Roghair C. see van Leeuwen K. 629

Roghair C. P. Buijze A. and Schoon H. N. P. Ecotoxicological risk evaluation of the cationic fabric softener DTDMAC-I. Ecotoxicological effects 599

Rontani J.-F. and Bonin P. Utilization of *n*-alkyl-substituted cyclohexanes by a marine Alcaligenes 1441

Roumelis N., Evmorfopoulos E. and Glavas S. Formation of ozone, PAN, PPN and nitric acid in irradiations of gasoline vapours under atmospheric conditions 1447

Rugama R. see Calero S. 1413

Runn P. see Wicklund Glynn A. 359

Rüssel-Sinn H. see Heidmann W. A. 1111

Rutzke M. see Gutenmann W. H. 1905

Ruuskanen J. see Kopponen P. 391

Safe S. H. see Bunce N. J. 433

Saito S. see Miyamoto M. 2011

Saito S., Tanoue A. and Matsuo M. Applicability of the *ilo*-characters to a quantitative description of bioconcentration of organic chemicals in fish 81

Saito S., Tanoue A. and Matsuo M. The *ilo*-characters to evaluate *n*-octano/water partition coefficient in bioconcentration of organic chemicals in fish 89

Salmerón V. see Martinez-Toledo M. V. 71

Salonen S. see Song X. 249

Samuelsson R. see Norström Å. 1553

Schantz M. M., Parris R. M., Wise S. A., Won H. T. and Turle R. Polychlorinated biphenyl (PCB) congeners and chlorinated pesticides in a cod liver oil reference material 1687

Scheunert I. see Schroll R. 97

Schimmel H., Riehle U., Reuter U. and Ballschmiter K. Selective losses of polychlorinated dibenzofurans (C₁DF_x, x = 1-4) and of mono(halogenated) dibenzodioxins (Hal₁DD, Hal = Br, Cl) during matrix separation 413

Schlatter Ch. see Bosshard E. 309

Schlatter Ch. see Schmid P. 1013

Schlatter Ch. see Schmid P. 1283

Schmid P. and Schlatter Ch. Polychlorinated dibenzo-*p*-dioxins (PCDDs) and polychlorinated dibenzofurans (PCDFs) in cow's milk from Switzerland 1013

Schmid P., Bühl F. and Schlatter Ch. Dermal adsorption of PCB in man 1283

Schnabel Stitzer L. see Miller R. M. 1855

Schneider F. A. see Spencer J. R. 773

Schoon H. N. P. see Roghair C. P. 599

Schöttler U. see Kuhlmann B. 1217

Schramm K.-W., Kuettner T., Weber S. and Lützke K. Dioxin hair analysis as monitoring pool 351

Schrap S. M. and Opperhuizen A. On the contradictions between experimental sorption data and the sorption partitioning model 1259

Schrenk D. see Wannemacher R. 1361

Schroll R. and Scheunert I. A laboratory system to determine separately the uptake of organic chemicals from soil by plant roots and by leaves after vaporization 97

Seitz K.-A. see Mothes-Wagner U. 1653

Selisker M. Y. see Itak J. A. 11

Sellström U. see Nylund K. 1721

Sembiring S. see Merlin G. 37

Sergeant D. B. see Huestis S. Y. 537

Servé M. P., Bombick D. D., Clemens J. M., McDonald G. A. and Mattie D. R. The metabolism of 2-methylheptane in male Fischer 344 rats 517

Sewart A. S. see Harrad S. J. 1147

Shiraishi H. and Soma M. Triphenyltin compounds in mussels in Tokyo Bay after restriction of use in Japan 1103

Shiu W. Y. see Mackay D. 695

Simier M. see Yaméogo L. 2009

Singh K., Ocampo P., Akhtar M. H., Kacew S. and Khan S. U. Bioavailability in rats of bound residues present in liver and intestine of chickens fed diet treated with 3-phenoxybenzoic acid 745

Sinkkonen S., Paasivirta J., Koistinen J., Lahtipera M. and Lammi R. Polychlorinated dibenzothiophenes in bleached pulp mill effluents 1755

Sivaramakrishna B. see Sreedevi P. 29

Skare I. and Johansson R. Reactions between mercury vapor and chlorine gas at occupational exposure levels 1633

Šket B. see Bajt O. 673

Škreblin M. see Klemenc F. 1731

Smelt J. H. see Boosten J. J. T. I. 993

Smit C. see de Beer P. R. 719

Smith C., de Beer P. R. and van Dyk L. P. Stability and retention of 2,4-D iso-octyl ester on low volume air monitoring tubes 261

Sokol R. C., Bush B., Wood L. W. and Jahan-Parwar B. Production of aqueous PCB solutions for environmental toxicology 483

Soma M. see Shiraishi H. 1103

Song X., Hase A., Laukkarinen A., Salonen S. and Hakala E. The effect of oxygen enriched burning in hazardous waste incineration 249

Sonzogni W. C. see Crane J. L. 1921

Spain J. see Dean-Ross D. 219

Spencer J. R., Hernandez B. Z., Schneider F. A., Gonzales M., Begum S. and Krieger R. I. Seasonal mevinphos degradation on row crops in Monterey County, 1990 773

Spraker T. R. see Mössner S. 1171

Sreedevi P., Suresh A., Sivaramakrishna B., Prabhavathi B. and Radhakrishnaiah K. Bioaccumulation of nickel in the organs of the freshwater fish, *Cyprinus carpio*, and the freshwater mussel, *liden marginalis*, under lethal and sublethal nickel stress 29

Staats de Yanés G. see Heidmann W. A. 1111

Stegnar P. see Klemenc F. 1731

Stein J. E. see Krone C. A. 497

Steinberg S. M. Persistence of several volatile aromatic and halogenated hydrocarbons in a low organic carbon calcareous oil 1301

Stokely M. E. and Newland L. Pozzolana-induced reductions in the environmental availability of cadmium from fly and bottom ash 1591

Storr-Hansen E. and Cederberg T. Determination of coplanar polychlorinated biphenyl (CB) congeners in seal tissues by chromatography on active carbon, dual-column high resolution GC/ECD and high resolution GC/high resolution MS 1181

Storr-Hansen E., Cleemann M., Cederberg T. and Jansson B. Selective retention of non-ortho substituted coplanar chlorinated biphenyl congeners on adsorbents for column chromatography 323

Strachan W. M. J. see Jensen S. 229

Strand S. E. see Denovan B. A. 935

Streile G. P. see Szecsody J. E. 1127

Streit B. see Winter S. 1765

Sugiura K. Congener-specific PCB analyses of a sediment core of Lake Shinji, Japan 427

Sugiura K. Microbial degradation of polychlorinated biphenyls in aquatic environments 881

Suresh A. see Sreedevi P. 29

Susukida M. see Koizumi N. 1799

Swami K., Narang A. S., Narang R. S. and Edon G. A. Thermally induced formation of PCDD and PCDF from tri- and tetrachlorobenzene in dielectric fluids 1845

Szabó G., Farkas G. and Bulman R. A. Evaluation of silica-humate HPLC stationary phases for estimation of the adsorption coefficient, K_a , of soil for some aromatics 403

Szecsody J. E. and Streile G. P. Process controlling the slow sorption of quinoline onto clay during transport in columns 1127

Taglioni S. see Gratani L. 941

Taillandier G. see Chaumat E. 189

Takeshita R., Akimoto Y. and Nito S. Relationship between the formation of polychlorinated dibenzo-*p*-dioxins and dibenzofurans and the control of combustion, hydrogen chloride level in flue gas and gas temperature in a municipal waste incinerator 589

Takimoto Y. see Miyamoto M. 2011

Tanoue A. see Saito S. 81

Tanoue A. see Saito S. 89

Tarhanen J. see Kopponen P. 391

Tenhola H. see Paasivirta J. 1253

Theelen R. M. C. Toxicity of flue ash emissions from waste incinerators 753

Theelen R. M. C. and van Laar A. Comparative bioavailability of the 2,3,7,8 chlorine substituted dioxins and furans from flue ash and flue ash extract in rat liver 763

Thiebaud H. see Merlin G. 37

Thumm W., Brüggemann R., Freitag D. and Kettrup A. Toxicity tests with luminescent photobacteria and quantitative structure activity relationships for nitroparaffins 1835

Tirabassi T. see Morselli L. 1775

Tissut M. see Chaumat E. 189

Tolonen K. see Lampi P. 1805

Törönen R. see Kopponen P. 391

Tremolada P., Di Guardo A., Calamari D., Davoli E. and Fanelli R. Mass-spectrometry-derived data as possible predictive method for environmental persistence of organic molecules 1473

Tsuchida H. and Katou T. Mathematical model of pollution caused by aerial application of pesticides to rice fields 867

Tsuda T., Aoki S., Kojima M. and Fujita T. Pesticides in water and fish from rivers flowing into Lake Biwa (II) 1523

Tuomisto J. see Lampi P. 1805

Turle R. see Schantz M. M. 1687

Valzacchi S. see Benfenati E. 1077

van der Pas L. J. T. see Boesten J. J. T. I. 993

van Dyk L. P. see de Beer P. R. 719

van Dyk L. P. see Smith C. 261

van Hemmen J. J. see Brouwer D. H. 1157

van Laar A. see Theelen R. M. C. 763

van Leeuwen K., Roghain C., de Nijs T. and de Grefe J. Ecotoxicological risk evaluation of the cationic fabric softener DTDMAC-III. Risk assessment 629

van Wijnen J. H., Liem A. K. D., Olie K. and van Zorge J. A. Soil contamination with PCDDs and PCDFs of small (illegal) scrap wire and scrap car incineration sites 127

van Zorge J. A. see van Wijnen J. H. 127

Varanasi U. see Krone C. A. 497

Vartiainen T. see Kopponen P. 391

Vartiainen T. see Lampi P. 1805

Vasseur P. see Kuenemann P. 63

Veneman P. L. M. see Goldin A. 271

Versteeg D. J., Feijtel T. C. J., Cowan C. E., Ward T. E. and Rapaport R. A. An environmental risk assessment for DTDMAC in The Netherlands 641

Vincenti M. see Pelizzetti E. 891

Voigt K., Pepping T., Kotchetova E. and Mücke W. Testing of online databases in the information system for environmental chemicals with a testset of 68 chemicals 857

Voorhees K. J. see Young C. M. 525

Voorhees K. J. see Young C. M. 681

Vreede J. A. F. De see Brouwer D. H. 1157

Wang J.-D. see Kuo H.-W. 1679

Wannemacher R., Rebstock A., Kulzer E., Schrenk D. and Bock K. W. Effects of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin on reproduction and oogenesis in zebrafish (*Brachydanio rerio*) 1361

Ward G. H. see Myrdal P. 1047

Ward J. V. see Camargo J. A. 23

Ward T. E. see Versteeg D. J. 641

Watkinson R. J. see Battersby N. S. 1989

Weber S. see Schramm K.-W. 351

Weeks J. M. The use of the terrestrial amphipod *Arcitalitus dorrieni* (Crustacea; Amphipoda; Talitridae) as a potential biomonitor of ambient zinc and copper availabilities in leaf-litter 1505

Weistrand C., Lundén Å. and Norén K. Leakage of polychlorinated biphenyls and naphthalenes from electronic equipment in a laboratory 1197

Whitworth C. see Wiersma G. B. 155

Wiberg K., Rappe C. and Haglund P. Analysis of bromo-, chloro- and mixed bromo/chlorodibenzo-*p*-dioxins and dibenzofurans in salmon, osprey and human milk 1431

Wicklund Glynn A., Andersson L., Gabring S. and Ruan P. Cadmium turnover in minnows, *Phoxinus phoxinus*, fed ¹⁰⁹Cd-labeled *Daphnia magna* 359

Wiersma G. B., Bruns D. A., Finley K., McAnulty L., Whitworth C. and Boelcke C. Elemental composition of lichens from a remote *Nothofagus* forest site in southern Chile 155

Wild S. R. and Jones K. C. Pentachlorophenol in the UK environment-II. Human exposure and an assessment of pathways 847

Wild S. R., Harrad S. J. and Jones K. C. Pentachlorophenol in the UK environment-I. A budget and source inventory 833

Williams D. T., LeBel G. L. and Benoit F. M. Polychlorodibenzodioxins and polychlorodibenzofurans in diaxazine dyes and pigments 169

Winter S. and Streit B. Organochlorine compounds in a three-step terrestrial food chain 1765

Wise S. A. see Schantz M. M. 1687

Won H. T. see Schantz M. M. 1687

Wood L. W. see Sokol R. C. 483

Woodburn K. B., Delfino J. J. and Rao P. S. C. Retention of hydrophobic solutes on reversed-phase liquid chromatography supports: correlation with solute topology and hydrophobicity indices 1037

Wu S.-C. see Doong R.-A. 1063

Xiao J. see Hong C.-S. 465

Xu X. see Yu G. 1699

Yakabe Y., Etoh C., Matsunobu Y., Katsuura H., Miura K. and Yoshimura K. Kinetic study on the biodegradation of linear alkylbenzenesulfonates (LAS) in well-water 969

Yalkowsky S. H. see Myrdal P. 1047

Yaméogo L., Elouard J.-M. and Simier M. Typology of susceptibilities of aquatic insect larvae to different larvicides in a tropical environment 2009

Yasuhaba A. see Katami T. 343

Yoshimura K. see Yakabe Y. 969

Young C. M. and Voorhees K. J. Thermal decomposition of 1,2-dichlorobenzene-I. Effect of operating conditions 525

Young C. M. and Voorhees K. J. Thermal decomposition of 1,2-dichlorobenzene-II. Effect of feed mixtures 681

Yu G. and Xu X. Investigation of aqueous solubilities of nitro-PAH by dynamic couple-column HPLC 1699

Zappoli S. see Morselli L. 1775

Zepp R. G. see Hustert K. 335

Zhou J. L. Biosorption and desorption of humic acid by microbial biomass 1573

Zimmerli B. see Bosshard E. 309

Zinck M. E. see Bidleman T. F. 1389

Zsolnay A. Effect of an organic fertilizer on the transport of the herbicide atrazine in soil 663

Did you know that if you are a
contributor to any of
Pergamon's Journals you are
entitled to

25%

Discount on most
Pergamon Books?

Contact your nearest Pergamon office in
order to obtain a subject catalogue



Pergamon Press

A member of the Elsevier Science Publishing Group

Pergamon Press Ltd, Headington Hill Hall, Oxford, OX3 0BW, UK
Pergamon Press Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, USA

• BACK ISSUES OF •
PERGAMON
INTERNATIONAL
RESEARCH
JOURNALS

Back issues of Pergamon journals are available in hard copy. New subscribers to a journal may purchase back issues of that publication in hard copy edition at 25% discount off the standard price. Pergamon maintains stocks of back issues and orders may be placed with confidence at your nearest Pergamon office. Should any issue of a volume be temporarily out of stock at the time of ordering, a high quality photoduplicated copy will be supplied at no extra charge to complete your order.

SAVE UP TO 25% BY PURCHASING COMPLETE SETS

Customers wishing to purchase complete sets can do so at a saving of 25% off the individual volume price.

MICROFORM EDITIONS

Back issues in microform of Pergamon research journals are also available. For further information please apply to your nearest Pergamon office.

BACK ISSUES PRICE LIST

Full details of the rates of back issues of all Pergamon journals can be found in our Back Issues Price List. Please contact your nearest Pergamon office for a copy.



PERGAMON PRESS

Pergamon Press Ltd, Headington Hill Hall, Oxford OX3 0BW, UK
Pergamon Press Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, USA
A member of the Elsevier Science Publishing Group

COR017/p2

Receive Regular News of Pergamon's Publications

Pergamon mails information on new and existing publications regularly.

If you would like to be added to the mailing list please send us your name and full mailing address, indicating your fields of interest:

ENGINEERING

Energy Sources & Technology, Civil & Structural Engineering,
Mechanical Engineering, Electrical & Electronic Engineering,
Systems & Control Engineering, Aeronautical & Aerospace Technology,
Materials Technology, Chemical Engineering

LIFE SCIENCES & MEDICINE

Biological Sciences (including biochemistry & molecular biology), Agriculture,
Veterinary Medicine, Immunology, Cancer Research, Pharmacology, Neuroscience,
Vision Science, Clinical Medicine

PHYSICAL SCIENCES

Computer Science, Physics, Chemistry, Mathematics, Earth Science,
Environmental Science, Materials Science, Space & Planetary Sciences

SOCIAL SCIENCE & HUMANITIES

Jewish Studies, Sociology, Women's Studies, Psychology, Education,
Political Science, Geography, Economics, Management & Business, Linguistics,
Information Science, Librarianship



PERGAMON PRESS

Pergamon Press Ltd
Headington Hill Hall, Oxford OX3 0BW, UK

Pergamon Press Inc.
660 White Plains Road, Tarrytown, NY 10591-5153, USA

A member of the Elsevier Science Publishing Group

AIMS AND SCOPE

Chemosphere is an international journal designed for the rapid publication of original and important communications as well as review articles in English. *Chemosphere*, as a multi-disciplinary journal, offers maximum dissemination of investigations related to the health and safety of every aspect of life. Environmental protection encompasses a very wide field and relies on scientific research in chemistry, biology, physics, toxicology and inter-related disciplines. Three types of communication will be published.

1. Original communications describing important new discoveries or further developments in important fields of investigation related to the environment and human health.
2. Invited reviews, critical but non-polemical; mainly of new rapidly developing areas of environmental protection.
3. A special information and news section will provide current information on books, meetings, industrial practices and government decisions.

Scientific investigations in any of the following main topics will be considered for publication.

THE NATURAL ENVIRONMENT. Biological, chemical and physical studies designed to control or to prevent pollution of the air, waterways, sea and land.

METEOROLOGY AND CLIMATE. As they affect life processes and living entities. The interaction between meteorological and climatic factors and environmental pollutants and their effect on life.

ENVIRONMENTAL CHEMICALS AND ANALYSIS. Analysis and monitoring levels of chemicals in the environment. Composition of industrial products, production and synthesis of chemicals and their properties. Origin and routes into the environment.

AIR AND WATER POLLUTION, WASTE TREATMENT. This includes the release of pollutants during incineration or composting and the control of effluents or their interaction with ecosystems.

ENVIRONMENTAL FATE OF CHEMICALS. Transport routes in air and water, evaporation, adsorption, sedimentation, microbial degradation, animal and plant metabolism, environmental changes to compounds due to light, moisture and chemical interaction with natural substances, or additives to the environment.

PHARMACODYNAMICS — BIOACCUMULATION — METABOLISM. Uptake, accumulation, food web biomagnification, metabolic products and pathways, excretion, biological half-life.

EFFECTS ON MAN. Toxic and other undesirable effects on humans, animals and test systems used to predict human toxicity, e.g. LD₅₀ carcinogenesis tests, Ames tests and other *in vitro* systems; pharmacological and other sublethal effects, the interaction of chemicals with infectious diseases, etc.

OCCUPATIONAL HAZARDS AND EXPOSURE. *Chemosphere* is concerned with safety and protection in relation to spills and accidents as well as the interaction of all classes of chemicals with the environment.

ECOTOXICOLOGY. Effects of chemicals and physical agents on populations and communities of microorganisms, plants, animals and man.

ATMOSPHERIC CHEMISTRY AND GLOBAL CHANGE. This section will publish theoretical and experimental papers on urban, regional and global chemistry, including all aspects of past and present changes in atmospheric chemistry and climate caused by natural processes or anthropogenic activities. The main emphasis will be on global atmospheric chemistry of trace constituents, and the effect of human activities on the Earth's atmosphere, climate and habitability.

INSTRUCTIONS TO CONTRIBUTORS FOR THE PREPARATION OF MANUSCRIPTS FOR PHOTO-OFFSET REPRODUCTION

1. Drafts of manuscripts in English only may be submitted *in duplicate* to the Editor-in-Chief or any of the Editors, all of whom are listed on the inside front cover of the Journal. However, for papers submitted to the section on *Atmospheric Chemistry and Global Change*, all must be sent to Dr. Khalil, the Editor for this section. Authors are reminded to retain a duplicate copy of their paper.
2. Manuscript drafts may be produced on any size of paper. However, final revised manuscripts should adhere to the following rules.
 - (a) The area typed should not exceed 195 x 275 mm.
 - (b) Black ink must be used (since blue cannot be reproduced with clarity) on good quality, white paper.
 - (c) Spacing of 1½ between lines should be used (*not* single spacing).
 - (d) It should be noted that, *when reproduced*, the manuscript will be reduced to 75% of its original size — this should be borne in mind when deciding the size of type, figures and captions to be used.
 - (e) The text of each paper *must* begin with a short *Abstract* (preferably not longer than 100 words).
 - (f) Finally, special laysheets (Crown Quarto, 75%) may be obtained on request from Pergamon Press (Oxford, U.K.) or from the Editors. Manuscripts may be typed directly on to these, with figures/tables inserted where required.
3. *Layout* — the title of each article should be in capital letters, centred on the first page, with the authors' names below, followed by their addresses. There should be clear spacing of at least 1 cm both above and below each of these units. The author(s) to whom correspondence should be addressed should be clearly indicated (e.g. by an asterisk or underlining).
4. *Illustrations* — figures, tables, formulae or any other illustrations should be included within the body of the text where necessary. As noted above, both text and illustrations will be reduced to 75% of the original upon reproduction, so authors should check that everything will be legible after reduction. Figures may be inserted as black and white glossy photographs or black line drawings at the authors' discretion. They should be pasted on, rather than taped, since the latter results in unclear edges upon reproduction. Original figures will only be returned to the authors upon request to the Publisher within 1 month of publication. Otherwise they will be discarded.
5. Each page should be numbered clearly (preferably on the back) in *light blue* or *yellow* crayon (neither of which reproduce photographically). Ink or dark colours should *not* be used for this purpose.

Reprints

Owing to the short production time for articles in this journal, it is essential to indicate the number of reprints required *when submitting the manuscript*. Confirmation of each order will accompany the notification of acceptance. Reprint orders received later than the manuscript cannot be executed until printing of the issue concerned has been completed, and a price quotation will be supplied.

Whilst every effort is made by the publishers and editorial board to see that no inaccurate or misleading data, opinion or statement appear in this journal, they wish to make it clear that the data and opinions appearing in the articles and advertisements herein are the sole responsibility of the contributor or advertiser concerned. Accordingly, the publishers, editorial board and editors and their respective employees, officers and agents accept no responsibility or liability whatsoever for the consequences of any such inaccurate or misleading data, opinion or statement.

